Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



6267

1881 - 1943

LIBRARY

♣ MAR 1 1 1943 ★

MAR 1 1 1943 A. B. Department of Agriculture

Cales

PRICE LIST TO THE TRADE

Introducers of

FUCHSIA, "Scarlet Beauty"

Plant Patent No. 440

FUCHSIA, "Senorita"

Not Patented

TRUEHEDGE COLUMNBERRY

Plant Patent No. 110

THE COLE NURSERY CO.

PAINESVILLE, OHIO

Phone 4394

Everything that's Good and Hardy



Hedges made from Columnberry growing in the nursery row. The first and only trimming, consuming one hour's time, made these finished hedges.

COLE'S New Truehedge Columnberry

BERBERIS THUNBERGI ERECTA (Plant Patent No. 110)

Wholesale Prices

	5 Each	25 Each	250 Each
9 to 12 inch \$	0.15	\$ 0.12	\$ 0.10
12 to 15 inch	.18	.14	$.12\frac{1}{2}$
15 to 18 inch	.22	.17	.15
1½ to 2 feet	.25	.20	.18
2 to 2½ feet	.30	.25	.22
2½ to 3 feet	.40	.33	.30

SUGGESTED MINIMUM RETAIL PRICES

1	Each	5 Each	25 Each	100 Each	250 Each
9 to 12 inch \$	0.35	\$ 0.25	\$ 0.19	\$ 0.16	\$ 0.15
12 to 15 inch	.40	.30	.24	.21	.19
15 to 18 inch	.45	.35	.28	.25	.23
1½ to 2 feet	.50	.40	.33	.30	.28
2 to 2½ feet	.60	.47	.40	.36	.33
2½ to 3 feet	.75	.60	.50	.46	.42

Complete Descriptive Folder on Request

Ornamental Trees

The size immediately following the description indicates approximate height at maturity.

LARGE B & B SHADE TREES

We are specialists in balling and handling large shade trees up to 8" caliper. Our stock and workmanship is second to none. We would be pleased to quote prices for your special requirements on request or you may refer to pages 62 and 63 for charges.

ACER—campestre. Hedge Maple—25' 6 to 8'	1 Each \$ 3.15	5 Each \$ 2.80	25 Each \$ 2.50
dasycarpum (saccharinum). Silver Maple—60'			
8 to 10'	_ 1.30	1.10	.90
1½ to 1½"		1.45	1.20
1½ to 1¾"		1.75	1.50
1¾ to 2"		2.25	2.00
2 to 2½"		2.75	2.50
2½ to 3"	4.10	3.85	3.50
3 to 3½"		5.50	5.00
3½ to 4"	7.75	7.00	
4 to 5"	11.00	10.00	
dasycarpum wieri. Wier Cutleaf Maple—50'			
8 to 10'	_ 1.75	1.50	1.25
1½ to 1½"	2.10	1.85	1.60
1½ to 1¾"		2.25	2.00
1¾ to 2"	_ 3.25	3.00	2.50
2 to 2½"	4.25	3.85	3.50
ginnala. Amur Maple—15'			
4 to 5'	1.10	.90	.75
5 to 6'		1.10	.90
6 to 8'	_ 1.75	1.50	1.25
8 to 10'	_ 2.25	2.00	1.75
10 to 12'	_ 3.00	2.75	2.50
negundo. Boxelder-60'			
2½ to 3"	_ 3.85	3.50	
3 to 4"		5.00	
4 to 5"	_ 9.25	8.50	
palmatum. Japanese Maple—14'			
4 to 5' (16" Ball)		3.25	
5 to 6' (18" Ball)		4.25	
6 to 7' (21" Ball)	_ 6.50	6.00	
palmatum atropurpureum. Bloodleaf Japanese M.	Taple-10	- 1000	
15 to 18", Grafted (9" Ball)	_ 2.50	2.25	2.00
4 to 5', Grafted (16" Ball)	_ 6.00		
5 to 6', Grafted (18" Ball)	_ 7.50		
6 to 7', Grafted (21" Ball)	_ 9.50		
palmatum dissectum atropurpureum.			
Purple Threadleaf Japanese Maple—5'			
2 to 2½' spread (13" Ball)	_ 5.50	5.00	
2½ to 3' spread (14" Ball)	_ 7.75	7.00	
3 to 3½' spread (16" Ball)	_ 11.50	10.00	

CER—Continued	1.5.1	5 D 1	05.77
platanoides. Norway Maple—50'	1 Each	5 Each	25 Each
6 to 8'	\$ 2.00	\$ 1.75	\$ 1.50
8 to 10'		2.15	1.90
1½ to 1½"	2.75	2.50	2.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	3.15	2.90	2.65
1¾ to 2" 2 to 2½" 2½ to 3"	3.75	3.35	3.00
2 to 2½"	5.00	4.40	4.00
2 10 3"	7.00	5.25 6.50	4.75
3 to 3½"	9.00	8.25	6.00 7.50
4 to 5"	12.50	11.00	10.00
5 to 6"	18.50	16.50	15.00
6 to 7"		22.50	20.00
7 to 8"		32.50	
platanoides globosum. Globe Norway Maple—8' 4 year head, 6' stem		6.00	
platanoides, schwedleri. Purple Norway Maple—5	0'		
6 to 8'	2.75	2.50	
3 to 3½"	9.50	8.50	
$3\frac{1}{2}$ to $4''$	12.50	11.00	
4 to 5"	18.00	16.00	
5 to 6"	25.00	22.50	
6 to 7"	40.00	35.00	
platanoides variegatum. Variegated Leaved Norway Maple—25'			
4 to 6' Whips	2.50	2.25	2.00
8 to 10'	8.00	7.00	
rubrum. Red or Scarlet Maple—50'			
6 to 8'	2.00	1.75	1.50
8 to 10'	2 50	2.10	1.85
$\frac{11}{4}$ to $\frac{11}{2}$ "	2.90	2.50	2.25
1½ to 1½" 1½ to 1¾" 1¾ to 2" 2 to 2½" 3 to 3½" 31/4 **	3.60	3.25	2.90
1% to 2"	5.00	4.50	3.50
2 to 2/2	19.50	6.00	
3½ to 4"	12.50	11.00 16.00	
4 to 5"	25.00	22.50	
tataricum. Tatarian Maple—12'			
6 to 8'	2.00	1.75	1.50
8 to 10'	2.50	2.25	2.00
10 to 12'	3.75	3.35	3.00
saccharum. Sugar or Rock Maple—60'	2.00	7.00	7.50
	2.00	1.75	1.50
8 to 10'	2.40	2.15 2.50	1.90 2.25
1½ to 1¾"	2.75	2.85	2.60
13/4 to 2"	3.70	3.35	3.00
2 to $2\frac{1}{2}''$	4.20	3.85	3.50
2½ to 3"	5.50	5.00	4.50
3 to 3½"	7.00	6.25	5.75
5½ to 4"	8.75	7.75	7.00
4 to 5"	11.50	10.00	9.00
5 to 6"	18.00	16.00	
6 to 7"	25.00	22.50	

AESCULUS			
glabra. Ohio Buckeye—30'	1 Each	5 Each	25 Each
6 to 8'	\$ 2.25	\$ 2.00	\$ 1.75
1 ¹ / ₄ to 1 ¹ / ₂ "	3 10	2.80	2.50
1½ to 2" 2 to 2½"	4.65	4.15	3.75
2 to 2½"	6.00	5.50	5.00
2½ to 3" 3 to 3½"	8.00	7.25	7.00
	12.00	11.00	
hippocastanum. European Horse-Chestnut—40'	0.10	7.05	7 60
6 to 8'		1.85	1.60
2 to 2½"	3.75 4.50	3.35	3.00
2½ to 3"	6.75	6.00	
3 to 4"	11.50	10.00	
4 to 5"	15.00	13.00	
octandra. Yellow Buckeye-30'	20100	10,00	
4 to 6'	1.90	1.65	1.40
6 to 8'	2.40	2.15	1.40
1½ to 2"	3.85	3.50	
		0.00	
pavia. <i>Red Buckeye</i> —30′ 3 to 4′	4.50	4.00	F
AILANTHUS—altissima. Tree of Heaven—40'			
6 to 8'	1.75	1.50	1.25
8 to 10'		1.85	1.60
1½ to 2"	2.50	2.25	2.00
2 to 2½"	3.70	3.35	3.00
$2\frac{1}{2}$ to 3"	5.00	4.50	
ALNUS—glutinosa—60'			
1½ to 2"	3.00	2.75	
2 to 2½"	4.50	4.00	
	6.00	5.50	
incana. Speckled Alder—50'			
5 to 6'		1.25	1.00
6 to 8'		1.60	1.35
8 to 10'	2.25	2.00	
AMYGDALUS—(See Prunus)			
ARALIA—spinosa. Devil's Walking Stick—25'			
4 to 5'		.65	.50
5 to 6'	1.10	.80 1.20	1.00
6 to 8'	$\begin{array}{ccc} - & 1.50 \\ - & 2.00 \end{array}$	1.75	1.50
8 to 10' 10 to 12'		2.50	2.25
(Clumps, 50% additional)	2.10	2.00	2.20
BETULA—alba. European White Birch—40'	1.55	1.30	1.10
6 to 8' (16" Ball Extra)		1.75	1.50
8 to 10' (18" Ball Extra) 11/4 to 11/2" (20" Ball Extra)	2.40	2.15	1.90
alba fastigiata. Pyramidal White Birch—45'	2.10	2.10	1.70
4 to 6'	2.25	2.00	1.75
alba pendula, European Weeping Birch-35'			
6 to 8' (16" Ball Extra)	2.00	1.75	1.50
8 to 10' (18" Ball Extra)	2.65	2.40	2.15

BETULA—Continued	1 Each	5 Each	25 Each
lenta. Sweet Birch—45'			
6 to 8' (16" Ball Extra)	\$ 1.75	\$ 1.50	\$ 1.25
8 to 10' (18" Ball Extra)	2.25	2.00	1.75
1½ to 2" (24" Ball Extra)	3.15	2.80	2.50
2 to 2½" (28" Ball Extra)	4.10	3.75	
2½ to 3" (32" Ball Extra)	6.00	5.50	
3 to 3½" (38" Ball Extra)	8.50	7.50	
3½ to 4" (42" Ball Extra)	11.50	10.00	
Clumps, 3 to 6 stems	4.40	4.00	
8 to 10' (24" Ball Extra) 10 to 12' (26" Ball Extra)	4.40	4.00	
10 to 12' (26" Ball Extra)	6.50	6.25	6.00
lutea. Yellow Birch—50'	2.50	2.25	2.00
8 to 10' (18" Ball Extra)			
10 to 12' (22" Ball Extra)	3.70	3.35 4.50	3.00
2 to 2½" (28" Ball Extra)	5.00	4.50	
nigra. River Birch—40' 5 to 6'	1.25	1.10	.90
5 to 0'	1.20	1.10	.90
Clumps, 2 to 4 stems 12 to 14' (27" Ball Extra)	8.50	7.50	
12 to 14 (21" Dall Extra)	11.50	10.00	
14 to 16' (30" Ball Extra) 16 to 18' (34" Ball Extra)	14.00	12.50	
18 to 20' (38" Ball Extra)	19.00	17.00	
papyrifera. Canoe or Paper Birch—60'	17.00	11.00	
6 to 8' (16" Rall Extra)	1 90	1.65	
6 to 8' (16" Ball Extra) 8 to 10' (18" Ball Extra)	2 25	2.00	
1½ to 1½" (20" Ball Extra)	2.75	2.50	
11/4 to 2" (24" Ball Extra)	3.75	3.35	
$1\frac{1}{2}$ to 2" (24" Ball Extra)	5.00	4.50	
populifolia. Grav Birch—40'	0.00	1.00	
populifolia. Gray Birch—40' 6 to 8' (16" Ball Extra)	1.75	1.50	1.25
8 to 10' (18" Ball Extra)	2.10	1.85	1.60
14 to 14'' (20" Ball Extra)	2.75	2.50	2.25
$1\frac{1}{2}$ to $2^{\prime\prime}$ (24" Ball Extra)	3.75	3.35	3.00
2 to 2½" (28" Ball Extra)	5.00	4.50	
CARPINUS—betulus. European Hornbeam—60'			
2 to 3' (13" Ball Extra)	1.75	1.50	1.25
3 to 4' (14" Ball Extra)	2.50	2.25	2.00
4 to 5' (16" Ball Extra)	3.60	3.25	2.90
5 to 6' (18" Ball Extra)	5.00	4.50	4.00
5 to 6' (18" Ball Extra) 6 to 8' (20" Ball Extra)	7.25	6.50	
caroliniana (americana). American Hornbeam—3	5'		00
2 to 3' (13" Ball Extra)	1.25	1.00	.80
3 to 4' (14" Ball Extra)	1.65	1.40	1.10
4 to 5' (16" Ball Extra) 5 to 6' (18" Ball Extra)	1.85	1.60	1.35
5 to 6' (18" Ball Extra)	2.50	2.25	2.00 3.00
6 to 8' (20" Ball Extra) 8 to 10' (23" Ball Extra)	3.75	3.35	
CASTANEA—mollissima. Hairy Chestnut—40'	5.00	4.50	
3 to 4'	2.00	1.75	1.50
4 to 5'	2.50	2.25	2.00
5 to 6'	3.75	3.35	2.00
CATALPA—bignonioides nana. Umbrella Catalpa—10	7'	0.00	
5 year head, specimens	3.75	3.35	3.00
speciosa. Western Catalpa—35'	0.10	0.00	3.00
1½ to 2"	2.50	2.25	2.00
1½ to 2" 2 to 2½"	3.75	3.35	3.00
2½ to 3"	5.50	4.75	4.25
3 to 4"	7.25	6.50	

- THE COLD T	, 01110		2
CELTIS—laevigata (Mississippiensis). Sugarberry—60	1 Each	5 Each	25 Each
5 to 6'	\$ 150	\$ 1.25	\$ 1.00
6 to 8'	1.85	1.60	1.35
8 to 10'	2.50	2.25	2.00
10 to 12'	3.00	2.75	
10 to 12'	5.00	2.15	2.50
5 to 6'	7.05	1.00	
6 to 8'	1.25	1.00	.80
		1.25	1.00
8 to 10'		1.75	
CERCIDIPHYLLUM—japonicum. Katsura-tree—24'			
4 to 5' (15" Ball Extra)	_ 2.00	1.75	1.50
5 to 6' (16" Ball Extra)	_ 2.50	2.25	2.00
6 to 8' (18" Ball Extra)	3.15	2.80	2.50
CERCIS—canadensis. Judas Tree, American Redbud 2 to 3' (12" Ball Extra)	30′		
2 to 3' (12" Ball Extra)	.50	.40	.30
3 to 4' (13" Ball Extra)		.50	.40
4 to 5' (15" Ball Extra)		.65	
5 to 6' (16" Ball Extra)		.90	.55
			.75
6 to 8' (18" Ball Extra)	1.50	1.25	1.00
8 to 10' (22" Ball Extra)	4.00	3.50	
10 to 12' (26" Ball Extra)	6.25	5.50	
12 to 14' (30" Ball Extra)	9.00	8.00	
CLADRASTIS—lutea. Yellow-wood—35'			
6 to 8' (20" Ball Extra)	5.00	4.50	4.00
8 to 10' (22" Ball Extra)	-6.25	5.50	
1½ to 1½" (24" Ball Extra)	7.25	6.50	
1½ to 2" (26" Ball Extra)	9.25	8.25	
3 to 3½" (35" Ball Extra)	18.00	16.00	
3½ to 4" (38" Ball Extra)	23.00	20.00	
CORNUS—florida. White-flowering Dogwood—20'			
2 to 3' (12" Ball)	1.50	1.25	1.00
3 to 4' (13" Ball)	1.75	1.50	1.30
4 to 5' (14" Ball)		2.00	1.75
5 to 6' (15" Ball)		3.10	2.75
		4.50	2.10
	7.75	7.00	
8 to 10′ (19″ Ball)	11.50	10.00	
10 to 12' (22" Ball)	11.50	10.00	
florida rubra. Red-flowering Dogwood—20'	1.60	1.35	1.10
1½ to 2′ (11″ Ball)	1.00		
2 to 3' (12" Ball)	1.85	1.60	1.35
3 to 4' (13" Ball)	2.35	2.10	1.85
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	5.50	5.00	4.50
6 to 8' (18" Ball)	7.50	6.75	6.00
8 to 10' (22" Ball)	11.00	10.00	
10 to 12' (26" Ball)	16.00	14.00	
6 to 8' (17" Ball Extra)	5.50	5.00	
8 to 10 (20 Ball Extra)	7.75	7.00	
CRATAEGUS—arnoldiana. Arnold Hawthorn—20'			
6 to 8' (18" Ball Extra)	3.00	2.75	
8 to 10' (22" Ball Extra)	4.10	3.75	
calpodendron (tomentosa). Pear Hawthorn—15'			
5 to 6' (16" Ball Extra)	2.00	1.75	1.50
6 to 8' (18" Ball Extra)		2.50	2.25
8 to 10' (22" Ball Extra)		3.35	3.00
10 to 12' (26" Ball Extra)	5.50	5.00	4.50
10 to 12 (20" Ball Extra)	8.25	7.50	6.75
12 W 10 (00 Dail Extra)	0.20	,100	33

CRATAEGUS—Continued	1 Each	5 Each	25 Each
coccinioides. Dark Crimson Fruits—20'			
2 to 3' (12" Ball Extra)	_\$ 1.15	\$ 0.90	\$ 0.75
3 to 4' (13" Ball Extra)		1.25	1.00
4 to 5' (15" Ball Extra)	1.75	1.50	
crusgalli. Cockspur Thorn—20'			
2 to 3' (12" Ball Extra)	1.20	.95	.80
3 to 4' (13" Ball Extra)	1.50	1.25	1.00
4 to 5' (15" Ball Extra)	1.75	1.50	1.25
5 to 6' (17" Ball Extra)		2.25	2.00
6 to 8' (19" Ball Extra)		2.75	2.50
8 to 10' (22" Ball Extra)		4.00	2.00
intricata (coccinea). Scarlet-fruited Hawthorn—		7.00	
		.85	.70
2 to 3' (12" Ball Extra)		1.25	
3 to 4' (13" Ball Extra)			1.00
4 to 5' (15" Ball Extra)	1.75	1.50	1.25
5 to 6' (16" Ball Extra)		1.85	1.60
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)	3.75	3.35	3.00
mollis. Downy Hawthorn—18'			
2 to 3' (12" Ball Extra)	1.20	.95	.80
3 to 4' (13" Ball Extra)	1.50	1.25	1.00
4 to 5' (15" Ball Extra)	1.75	1.50	1.25
5 to 6' (16" Ball Extra)		1.75	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)	3.75	3.35	3.00
10 to 12' (26" Ball Extra)		5.00	4.50
nitida	0.00	3.00	T.00
2 to 3' (12" Ball Extra)	1.35	1.10	.90
3 to 4' (13" Ball Extra)		1.35	1.10
		1.55	
			1.50
5 to 6' (16" Ball Extra)		2.10	1.85
6 to 8' (18 Ball Extra)oxyacantha. English Hawthorn20'	2.75	2.50	2.25
2 to 3' (12" Ball Extra)		.75	.60
3 to 4' (13" Ball Extra)		.90	.75
4 to 5' (15" Ball Extra)		1.25	1.00
5 to 6' (16" Ball Extra) oxyacantha plena. Double White Hawthorn—15	2.00	1.75	
oxyacantha plena. Double White Hawthorn—15			
4 to 5' (15" Ball Extra)	2.50	2.25	
oxyacantha rosea plena. Double Pink Hawthorn	—15'		
4 to 5' (15" Ball Extra)	2.50	2.25	
oxyacantha pauli. Paul's Double Scarlet Hawth	orn—15'		
2 to 3' (12" Ball Extra)		1.00	.85
3 to 4' (13" Ball Extra)		1.40	1.15
4 to 5' (15" Ball Extra)	2.00	1.75	1.50
5 to 6' (16" Ball Extra)	2.25	2.00	1.75
6 to 8' (18" Ball Extra)	2.75	2.50	1.10
phaenopyrum (cordata). Washington Hawthorn	201	2.00	
2 to 3' (12" Ball Extra)		1.00	.85
			1.15
3 to 4' (13" Ball Extra)	1.65	1.40	
4 to 5' (15" Ball Extra)		1.75	1.50
5 to 6' (17" Ball Extra)		2.00	1.75
6 to 8' (19" Ball Extra)	2.75	2.50	2.25
DIOSPYROS-virginiana. Common Persimmon-25			
		5.50	
241			
		7.00	
3 to 3½"	11.00	10.00	

FAGUS—grandifolia (americana). American Beech—	1 Each	5 Each	25 Each
5 to 6' (18" Ball)	-00 \$ 4.50 €	\$ 4.00	
6 to 8' (20" Ball)	6.75	6.00	\$ 5.50
8 to 10' (24" Ball)	9.00	8.00	7.25
10 to 12' (27" Ball)sylvatica riversi. Rivers Purple Beech—45'	12.00	10.50	9.50
sylvatica riversi. Rivers Purple Beech—45'		*	
4 to 5' (16" Ball)	6.75	6.00	
5 to 6' (18" Ball)		7.50	
6 to 7' (20" Ball) 7 to 8' (22" Ball)	10.00	9.00	
7 to 8' (22" Ball) 8 to 10' (26" Ball)	13.50	12.00	
10 to 12' (30" Ball)	18.00	16.00 20.00	
FRAXINUS—americana. White Ash—60'	22.30	20.00	
6 to 8'	1.50	1.25	1.00
8 to 10'	1.85	1.60	1.35
2 to 2½"	4.25	3.85	3.50
$2\frac{1}{2}$ to 3 "	6.00	5.50	5.00
3 to $3\frac{1}{2}$ "	9.50	7.75	7.00
$3\frac{1}{2}$ to $4''$	12.00	11.00	10.00
3½ to 4" GINKGO—biloba. Maidenhair Tree—50'			
4 to 6'	2.25	2.00	1.75
6 to 8'		2.50	2.25
8 to 10'	3.70	3.25	
GLEDITSIA—triacanthos. Common Honeylocust—60'	1.20	1.05	0.5
6 to 8'		1.05	.85 1.10
triacanthos inermis. Thornless Honeylocust—50'	3 1.00	1.55	1.10
5 to 6'	1.50	1.25	1.00
6 to 8'	2.00	1.75	1.50
GYMNOCLADUS—dioica. Kentucky Coffee Tree—40		2000	1.00
5 to 6'	2.25	2.00	1.75
6 to 8'	3.35	3.00	Ä
JUGLANS—nigra. Black Walnut—80'			
3 to 4'		.75	.60
4 to 6'		1.00	.85
6 to 8' 8 to 10'		$\frac{1.50}{2.00}$	1.25
1½ to 2"		3.00	
$\frac{172}{2}$ to $\frac{2}{2}$		4.50	
2½ to 3"		6.50	
3 to 3½"		10.00	
3 to 3½" KOELREUTERIA—paniculata. Goldenrain Tree—25'		20000	
4 to 5'	1.50	1.25	
5 to 6'	1.75	1.50	
6 to 8'	2.25	2.00	,
LARIX—decidua (europaea). European Larch—60'	0.50	2.05	2.00
3 to 4' (15" Ball)	2.50	2.25	2.00
4 to 5' (16" Ball)	3.75 5.00	3.35	3.00
5 to 6' (18" Ball) 6 to 7' (22" Ball)		4.50 6.00	
6 to 7' (22" Ball)	0.75	0.00	
leptolepis. Japanese Larch—45' 2 to 3' (13" Ball)	2.00	1.75	1.50
3 to 4' (15" Ball)	2.75	2.50	2.25
4 to 5' (16" Ball)		3.35	
LIQUIDAMBAR—styraciflua. Sweet Gum—50'			
5 to 6'		1.60	1.35
6 to 8'	2.25	2.00	1.75
8 to 10'	3.25	3.00	

LIQUIDAMBAR—styraciflua—Continued	1 Each	5 Each	25 Each
2½ to 3"	\$ 9.00	\$ 8.00	
3 to 4"	13.50	12.00	
4 to 5"		20.00	
5 to 6"	31.00	27.50	
LIRIODENDRON—tulipifera. Tulip Tree—60'	7 0=	3.05	*
5 to 6'		1.05	\$ 0.90
6 to 8'		1.50	1.25
8 to 10'	2.00	1.75	1.50
1½ to 1½"	2.50	2.25	2.00
2 to 2½" 2½ to 3"	6.00	5.50	
2½ to 3"	9.00	8.00	
3 to 4"	13.50	12.00	
4 to 5"		20.00	
5 to 6"	30.00		
MAGNOLIA—acuminata. Cucumber Tree—70'	4.05	0.05	0.50
5 to 6' (16" Ball)	4.25	3.85	3.50
6 to 8' (18" Ball)	6.00	5.50	5.00
8 to 10' (20" Ball)	8.50	7.75	7.00
10 to 12' (22" Ball)	12.00	11.00	10.00
1½ to 2" (25" Ball)	17.00	15.50	14.00
2 to 2½" (28" Ball)	25.00	22.00	
kobus—25′			
2 to 3' (12" Ball)	2.50	2.25	٠
3 to 4' (14" Ball)	3.60	3.25	
4 to 5% (16" Ball)	5.00	4.50	
soulangeana. Saucer Magnolia—18'			
2 to 3' (12" Ball)	3.75	3.35	3.00
3 to 4' (14" Ball)	4.80	4.40	4.00
4 to 5' (15" Ball)	6.50	6.00	5.50
5 to 6' (16" Ball)		8.00	
6 to 7' (18" Ball)	13.50	12.00	
soulangeana nigra. Purple Lily Magnolia—18'			
2 to 3' (12" Ball)		3.60	3.25
3 to 4' (14" Ball)	4.80	4.40	4.00
4 to 5' (15" Ball)	7.00	6.50	6.00
5 to 6' (16" Ball)	10.00	9.00	
6 to 7' (18" Ball)	15.00	13.50	
virginiana (glauca). Sweet Bay—20'			
3 to 4' (14" Ball)		2.25	2.00
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	5.00	4.50	4.00
6 to 8' (18" Ball)	6.75	6.00	5.50
8 to 10' (20" Ball) MALUS—arnoldiana. Arnold Crab—10'	9.75	8.75	8.00
MALUS—arnoldiana. Arnold Crab—10'			
3 to 4'	1.00	.75	.60
4 to 5'		.90	.75
5 to 6'	1.50	1.25	1.00
atrosanguinea. Carmine Crab—12'			
3 to 4'		.75	.60
4 to 5'		.90	.75
5 to 6'	1.50	1.25	1.00
6 to 7' baccata. Siberian Crab- 25'	2.00	1.75	
3 to 4'		.75	.60
4 to 5'		.90	
5 to 6'		1.25	
6 to 8'	2.00	1.75	
See pages 62 and 63 for Balling (B&	B) sched	ule.	

MALUS—Continued	1 Each	5 Each	25 Each
baccata mandshurica. Manchurian Crab-25'			
3 to 4'	\$ 1.00	\$ 0.75	\$ 0.60
4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 7'	2.00	1.75	
coronaria. Wild Sweet Crab. Fragrant blush blo	00m—15'		
3 to 4'	.90	.65	.50
4 to 5'	1.00	.80	.65
5 to 6'	1.35	1.10	.90
6 to 8'	1.75	1.50	1.25
8 to 10'		3.00	1.20
dolga. White, red fruit—15'	0.00	0.00	
3 to 4'		.75	.65
4 to 5'	1.10	.13	.75
5 to 6'		1.25	.10
Echtermeyer. New. Weeping Crab—10'	1.50	1.20	
Echtermeyer, New, Weeping Crab—10			
Single pink, bronze-green foliage.	1 75	1.50	1.25
3 to 4'	_ 1.75	1.50	1.25
4 to 5'	_ 2.25	2.00	1.75
5 to 6'	_ 3.00	2.75	
floribunda. Japanese Flowering Crab—12'			
3 to 4'		.75	.60
4 to 5'		.90	.75
5 to 6'		1.25	1.00
6 to 7'	2.00	1.75	1.50
gloriosa. New. Bronze foliage. Wine-red			
flowers—15'			
3 to 4'		1.50	1.25
4 to 5'	_ 2.00	1.75	1.50
5 to 6'	_ 2.50	2.25	2.00
halliana parkmani. Parkman Crab. Semi-doubl	e,		
rose-pink—12'			
3 to 4'	1.35	1.10	.90
4 to 5'		1.50	1.25
5 to 6'hopa. Red Flowering Crab—12'	2.10	1.85	1.60
hopa. Red Flowering Crab—12'			
4 to 5'	1.10	.85	.65
5 to 6'	1.35	1.10	90
6 to 8'		1.50	1.25
8 to 10'	3.50	3.10	2.75
hupehensis (theifera). Tea Crab—18'			
3 to 4'		.90	.75
4 to 5'		1.25	1.00
5 to 6'		1.75	1.50
6 to 8'		2.75	2.50
8 to 10'	4.75	4.25	
ioensis plena. Bechtel Double Pink Crab-14'			
2 to 3'	80	.60	.50
3 to 4'	1.00	.85	.75
4 to 5'	1.50	1.25	1.00
5 to 6'		1.75	1.50
micromalus. Midget Crab. Single pink-10'			
4 to 5'	1.50	1.25	1.00
5 to 6'	1.85	1.60	1.35
5 to 6'prunifolia rinki. Chinese Apple—15'			
3 to 4'	1.00	.75	.60
4 to 5'		.90	.75

THE COLE NORSERT CO., PAINESTIE	, 01110		
MALUS—prunifolia rinki—Continued	1 Each	5 Each	25 Each
5 to 6'	_ \$ 1.50	\$ 1.25	\$ 1.00
6 to 8'	2.00	1.75	1.50
8 to 10'		3.10	2.75
pumila niedzwetzkyana. Redvein Crab—12'			
4 to 5'		.75	.65
5 to 6'		1.10	.90
6 to 8'		1.50	1.25
8 to 10'	3.50	3.10	2.75
10 to 12'	5.50	4.50	4.00
purpurea. Purple Crab—14'	2	7.50	7.05
6 to 8'	1.75	1.50	1.25
8 to 10′	3.50	3.10	2.75
10 to 12'	5.00	4.50	
purpurea eleyi. Best red variety—12'	00	65	50
3 to 4' 4 to 5'	90	.65	.50
		.80 1.10	.65
5 to 6'		1.10	1.25
6 to 8' 8 to 10'		3.10	2.75
		3.10	2.10
purpurea lemoinei. New. Scarlet crimson—15		1.50	1.25
4 to 5' 5 to 6'		2.00	1.75
	_ 2,23	2.00	1.//
robusta fastigiata. Pyramidal Cherry Crab. Single, light pink. Upright—15'			
4 to 54	1.75	1.50	1.25
4 to 5'5 to 6'	2.25	2.00	1.75
sargenti. Sargent Crab. Dwarf, pure white—14'		2.00	20, 5
3 to 4'	1.35	1.10	.90
4 to 5'		1.50	1.25
6 to 8'		2.50	
8 to 10'	5.00	4.50	
10 to 12'	7.25	6.50	
scheideckeri. Double rose—12'			
4 to 5'		.90	.75
5 to 6'	1.50	1.25	1.00
6 to 7'	1.85	1.60	
sieboldi. Toringo Crab—15'			
4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
10 to 12'		6.50	
spectabilis flpl. Double Chinese Flowering Cra		00	
4 to 5'		.90	.75
5 to 6'		1.25	1.00
6 to 8'		2.25	
8 to 10'	5.00	4.50	
sublobata. Yellow Autumn Crab—12'	1.15	00	75
4 to 5' = 5 to 6'		.90 1.25	.75 1.00
		1.75	1.50
6 to 8' 8 to 10'	3.50	3.10	2.75
10 to 12'	7.00	6.00	
toringoides. Cutleaf Crab—15'	7.00	0.00	
3 to 4'	1.10	.85	.75
4 to 5'	1.40	1.15	1.00
5 to 6'		1.65	1.50
6 to 8'		2.50	2.25

3 to 4	MALUS—Continued zumi. Zumi Crab—12'	1 Each	5 Each	25 Each
## 4 to 5'		\$ 1.00	\$ 0.85	\$ 0.75
MORUS—alba globosa. Globe Mulberry—10' 5 year head, 5 to 7' 7.75 7.00 alba tatarica. Russian Mulberry—30' 4 to 6' 4 to 6' 5 (a to 8' 8 to 10' 2 to 3' (13" Ball Extra) 3 to 4' (15" Ball Extra) 4 to 5' (16" Ball Extra) 5 to 6' (18" Ball Extra) 5 to 6' (18" Ball Extra) 5 to 6' (18" Ball Extra) 5 to 6' (18" Ball Extra) 5 to 6' (18" Ball Extra) 5 to 6' (18" Ball Extra) 6 to 8' (20" Ball Extra) 7.75				ψ 0.15
alba tatarica. Russian Mulberry—30' 4 to 6'	5 to 6'			
alba tatarica. Russian Mulberry—30' 4 to 6'	MORUS—alba globosa. Globe Mulberry—10'	7 75	7.00	
4 to 6'		'	1.00	
6 to 8'	4 to 6'		.75	.60
OXYDENDRUMarboreum. Sourwood, Sorrel Tree=30' 2 to 3' (13" Ball Extra) 1.00 .75 .60 .3 to 4' (15" Ball Extra) 1.25 1.00 .80 .4 to 5' (16" Ball Extra) 1.65 1.40 1.20 .5 to 6' (18" Ball Extra) 2.25 2.00 1.75 .60 .80 .4 to 5' (16" Ball Extra) 2.25 2.00 1.75 .60 .80 .4 to 10' (24" Ball Extra) 2.25 2.00 1.75 .60 .80 .4 to 10' (24" Ball Extra) 5.00 4.50 4.00 .75 .8 to 10' (24" Ball Extra) 5.00 4.50 4.00 .75 .6 to 8' .1 to 12' (28" Ball Extra) 7.75 7.00 PHELLODENDRON-amurense. Amur Corktree=50' 4 to 6' 1.25 1.00 .75 .5 to 1.05 1.25 1.00 .75 .10 .15 1.00 .75 .10 .15 1.00 .75 .10 .15	6 to 8'	1.15		
2 to 3' (13" Ball Extra 1.00			1.50	1.25
3 to 4' (15" Ball Extra)	OXYDENDRUM-arboreum. Sourwood, Sorrel Tree	:30'		
4 to 5' (16" Ball Extra)	2 to 3' (13" Ball Extra)	1.00		.60
5 to 6' (18" Ball Extra) 3.25 3.00 1.75 8 to 10' (24" Ball Extra) 5.00 4.50 4.00 10 to 12' (28" Ball Extra) 7.75 7.00 7.00 PHELLODENDRON—amurense. Amur Corktree—50' 4 to 6' 1.25 1.00 .75 6 to 8' 1.50 1.25 1.00 8 to 10' 2.00 1.75 1.50 1½ to 2" 3.10 2.75 2.25 2 to 2½'z' 4.50 4.00 3.25 2½ to 3" 6.75 6.00 5.00 3 to 4" 10.00 9.00 7.50 4 to 5" 14.50 13.00 2.00 PLATANUS—occidentalis. American Planetree 6 to 8' 1.50 1.25 1.00 8 to 10' 1.75 1.50 1.25 1½ to 1½" 2.25 2.00 1.75 1½ to 1½" 2.5	3 to 4' (15" Ball Extra)	1.25		
6 to 8' (20" Ball Extra)	4 to 5' (10" Ball Extra)	1.65		
8 to 10' (24" Ball Extra) 7.75 7.00 PHELLODENDRON—amurense. Amur Corktree—50' 4 to 6' 1.25 1.00 .75 6 to 8' 1.50 1.25 1.00 .75 1½ to 1½" 2.25 2.00 .1.75 1½ to 2" 3.10 2.75 2½ to 3" 6.75 6.00 5.00 3 to 4" 10.00 9.00 7.50 4 to 5" 14.50 1.25 1.00 8 to 10' 1.00 9.00 7.50 4 to 5" 14.50 1.25 1.00 PLATANUS—occidentalis. American Planetree 6 to 8' 1.50 1.25 1.00 8 to 10' 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1½ to 1½" 2.25 2.00 7.50 Rota 10' 1.75 1.50 1.25 1½ to 1½" 2.25 2.00 7.50 Sto 4" 10.00 9.00 7.50 PLATANUS—occidentalis. American Planetree 6 to 8' 1.50 1.25 1.00 8 to 10' 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1½ to 1¾" 2.25 2.00 1.75 1½ to 1½" 3.50 3.10 2.75 2 to 2½" 4.25 3.85 3.50 2½ to 3" 6.00 orientalis. European Sycamore or Plane—70' 6 to 8' 1.50 1.25 1¼ to 1½" 2.25 2.00 1.75 1½ to 1¾" 2.75 2.50 2.25 1¾ to 1½" 3.50 3.10 2.75 2 to 2½" 4.25 3.85 3.50 2½ to 3" 6.00 orientalis. Furopean Sycamore or Plane—70' 6 to 8' 1.50 1.25 1¼ to 1½" 2.25 2.00 1.75 1½ to 1¾" 2.75 2.50 2.25 1¾ to 1½" 3.50 3.10 2.75 2 to 2½" 3.50 3.10 2.75 2 to 2½" 3.50 3.10 2.75 2 to 2½" 3.50 3.10 2.75 2 to 5½" 5.50 5.00 3 to 3½" 5.50 5.00 3 to 3½" 5.50 5.00 3 to 4" 10.00 9.00 8.00 4 to 4½" 10.00 9.00 8.00 4 to 4½" 10.00 9.00 8.00 5 to 5½" 5.50 5.00 2.00 2.00 5 ½ to 6" 31.00 2.700 5 to 5½" 5.50 5.00 2.20 2.00 5 ½ to 6" 31.00 2.700 6 to 6½" 31.00 2.700 6 to 6½" 40.00 35.00 POPULUS—alba nivea. Silver Poplar—40' 8 to 10' 1.25 1.00 3.00 2 to 2½" 2.55 2.25 2.200 2 to 2½" 3.50 3.10 2.75	5 to 6' (18" Ball Extra)	2.25		
The International Contract The Internatio	0 to 0 (20) Dall Extra)	5.25 5.00		
PHELLODENDRON	10 to 19' (28" Ball Extra)	3.00 7.75		4.00
4 to 6'	PHFLLODENDRON—amurense Amur Corktree:—5	0'	1.00	
6 to 8'			1.00	.75
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 +0 10'	2.00		
Sto 4" 10.00 9.00 7.50	1½ to 1½"	2.25	2.00	
Sto 4" 10.00 9.00 7.50	1½ to 2"	3.10		
Sto 4" 10.00 9.00 7.50	$\frac{2}{2}$ to $\frac{21}{2}''$	4.50		
PLATANUS—occidentalis. American Planetree 6 to 8'	2½ to 3″	6.75		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				7.50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		14.50	13.00	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1.50	1 25	1.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1½ to 1½"	2.25		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1½ to 1¾"	2.75		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1¾ to 2"	3.50	3.10	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 to 2½"	4.25	3.85	3.50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$2\frac{1}{2}$ to $3''$	6.00		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		7 70	7.07	7.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 to 10'	1./5		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/4 +0 13/1"	2.23		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	172 to 174	3.50		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 to 2½"	4.25		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2½ to 3"	6.25		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 3½"	`8.00	7.25	6.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$3\frac{1}{2}$ to $4''$	10.00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 to 4½"	13.50		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
6 to 6½" 40.00 35.00; POPULUS—alba nivea. Silver Poplar—40' 8 to 10' 1.25 1.00 .80 1½ to 1½" 1.60 1.35 1.10 1½ to 2" 2.50 2.25 2.00 2 to 2½" 3.50 3.10 2.75	5 to 5½"	25.00		
POPULUS—alba nivea. Silver Poplar—40' 8 to 10' 1.25 1.00 .80 1½ to 1½" 1.60 1.35 1.10 1½ to 2" 2.50 2.25 2.00 2 to 2½" 3.50 3.10 2.75	5 ½ 10 0"	40.00		2
8 to 10' 1.25 1.00 .80 1\frac{1}{4} to 1\frac{1}{2}'' 1.60 1.35 1.10 1\frac{1}{2} to 2'' 2.50 2.25 2.00 2 to 2\frac{1}{2}'' 3.50 3.10 2.75	POPILITIS—alba nivea Silver Poplar 40'	10.00	00.00	,
1½ to 1½" 1.60 1.35 1.10 1½ to 2" 2.50 2.25 2.00 2 to 2½" 3.50 3.10 2.75	8 to 10'	1.25	1.00	.80
1½ to 2" 2.50 2.25 2.00 2 to 2½" 3.50 3.10 2.75	1½ to 1½"	1.60		
	$1\frac{1}{2}$ to $2''$	2.50		
2½ to 3" 5.00 4.50			0110	2.75
	2½ to 3"	5.00	4.50	

POPULUS—Continued	1 Each	5 Each	25 Each
bolleana. Bolleana Silver Poplar—50'			
6 to 8'		\$ 0.75	\$ 0.60
8 to 10'		.90	.75
1½ to 1½"	1.50 2.25	1.25 2.00	1.00 1.75
1½ to 1¾" 1¾ to 2"	3.35	3.00	2.50
2 to 2 ¹ / ₂ "		4.00	3.50
2½ to 3"	6.25	5.50	
3 to 3½"	8.75	7.75	
$3\frac{1}{2}$ to $4''$		10.00	
4 to 4½"		15.00	
4½ to 5"		20.00	
5 to 6"		27.50	
6 to 7"		35.00 45.00	
7 to 8"	50.00	45.00	
maximowiczi. Japanese Poplar—70' 6 to 8'	1.50	1.25	1.00
8 to 10'		1.75	1.50
11/4 to 11/4"	2.50	2.25	2.00
1½ to 2"	3.50	3.10	2.75
2 to 2½"	4.25	3.85	3.50
2½ to 3"	6.00	5.50	
1½ to 2" 2 to 2½" 2½ to 3" nigra italica. Lombardy Poplar—70'			
6 to 8'	75	.55	.40
8 to 10'		.60	.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ " (\$500.00 per 1000)	1.00	.75	.60
1½ to 1¾" (\$750.00 per 1000)	1.40	1.15	.90
1¾ to 2"	1.75	1.50	1.25
2 to 2½"	2.50 3.50	2.25 3.10	2.00
2½ to 3" 3 to 3½"	5.50	5.10	5.00
$3\frac{1}{2}$ to $4^{\prime\prime}$	7.75		
4 to 5"	12.50		
simoni. Simon Poplar—30'	12.00		
8 to 10'	1.25	1.00	.80
$1\frac{1}{4}$ to $1\frac{1}{2}$ "	1.75	1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	2.15	1.85	1.60
1¾ to 2″ 2 to 2½″	2.50	2.25	2.00
		2.80	2.50
2½ to 3"		3.35	3.00
3 to 4"	7.00	6.25	
PRUNUS—(See Shrubs for other Prunus.)			
americana. American Plum—20'			
3 to 4'		.40	.30
4 to 6'		.50	.40
6 to 7'		.80	.70
americana Newport. Purple-leaved American Pl	um— $20'$	7 0	40
3 to 4'		.50	.40
4 to 5'		.65 .90	.50
5 to 6'		1.25	1.00
6 to 8'			1.00
amygdalus alboplena. Double White Flowering	reach—20)	
rubroplena. Double Red Flowering Peach—20'		40	25
3 to 4' 4 to 5'		.40	.35
4 to 5' 5 to 6'		.65 .90	.75
	1.10	,50	.10

UNUS—Continued	1 Each	5 Each	25 Each
blireiana-15'. A fine new variety with pur	nle		
tinted foliage and semi-double apple-blosso	om-		
pink flowers.			
4 to 5'	\$ 1.35	\$ 1.10	\$ 0.90
5 to 6'		1.50	1.25
6 to 8'		2.00	1.20
cerasifera pissardi nigra. Deepest purple—12'			
3 to 4'	.80	.60	.45
4 to 5'		.75	.60
5 to 6'		1.00	.80
6 to 8'		1.50	1.25
cistina. Hansen's Purpleleaf Plum-8'	20	2.00	1.00
A semi-dwarf, very hardy variety with brilli	ant		
foliage.	anı		
3 to 4'	.70	.50	.40
4 to 5'	85	.65	.50
5 to 6'		.90	.70
6 to 7'		1.25	1.00
	1.50	1.40	1.00
padus. European Bird Cherry—30'			
4 to 5'	75	.60	
5 to 6'		.80	
6 to 8'	1.20	1.00	
serotina. Black Cherry—60'			
4 to 6'		.75	
6 to 8'	1.25	1.05	
subhirtella. Higan Cherry—30'			
4 to 5'	1.75	1.50	
5 to 6'	2.25	2.00	/
subhirtella autumnalis. Autumn Flowering			
Higan Cherry—25'			
4 to 5'	3.00	2.75	2.50
5 to 6'	3.75	3.35	3.00
6 to 7'	4.50	4.00	
subhirtella pendula flpl. Double Weeping Shid			
higan Cherry—12'	va. c		
5 to 6' strong heads	3.00	2.75	2.50
virginiana. Common Chokecherry—30'			
3 to 4'	70	.55	.45
4 to 5'		.65	.50
5 to 6'	1.00	.80	.65
6 to 8'		1.05	.90
			• > 0
JAPANESE DOUBLE FLOWERING		RIES	
Prices following varieties	s:		
0 . 44	1 Each	5 Each	25 Each
3 to 4'		\$ 1.00	\$ 0.85
4 to 5'		1.35	1.15 1.50
5 to 6'		1.75 2.50	
6 to 8'		2.50 5.50	
8 to 10' specimen	0.00	5.50	
Amanagawa—Semi-double pale pink.			
fugenzo. Kofugen. James H. Veitch-30'. Don	uble pink.		

Horinjii-Double pale pink.

Ichiyo--Double pink.

Ojochin-Semi-double pink.

PRUNUS-Continued

sekiyama. Kwanzan Cherry—30'. Double dark pink.

Senriko-Semi-double pale pink.

Shogetsu-Double pink.

sieboldi. Naden. Siebold Cherry-30'. Double pink.

Takinioi—Single white.

Ukon-Double tea colored.

PTELEA—trifoliata. Common Hoptrec—25' 3 to 4' 4 to 5'	\$ 0.70 \$ 0.90	5 Each \$ 0.50 .65	\$ 0.40 .50
5 to 6'	1.10	.90	.75
QUERCUS—coccinea. Scarlet Oak—75'			
6 to 8'		1.85	1.60
8 to 10'		3.10	2.75
1½ to 2"		4.25	
2 to 2½"		6.00	
$2\frac{1}{2}$ to 3"		9.00	
3 to 3½"		13.00 17.00	
$3\frac{1}{2}$ to 4 " 4 to $4\frac{1}{2}$ "		22.50	
5 to 6"		30.00	
3 10 0	55,00	50.00	
macrocarpa. Mossy-cup—75'			
$1\frac{1}{2}$ to $2''$		4.50	
2 to $2\frac{1}{2}''$		7.25	6.50
$2lac{1}{2}$ to $3''$	10.00	9.00	
palustris. Pin Oak—75'			
5 to 6'		1.25	1.00
6 to 8'	2.00	1.75	1.50
8 to 10'	2.75	2.50	2.25
1¼ to 1½"	3.00	2.75	2.50
1½ to 1¾"	3.75	3.35	3.00
1¾ to 2"		3.85	3.50
2 to 2½"		5.00	4.50
$2\frac{1}{2}$ to $3^{\prime\prime}$		6.75	6.00
3 to 3½"		8.25	7.50
3½ to 4"	11.00	10.00	9.00
4 to 5"		14.50	13.00
5 to 6"		20.00	18.00
6 to 7" 7 to 12", Prices on Application	32.00	28.00	25.00
robur. English Oak-70'			
$\frac{2}{2}$ to $\frac{2^{1}}{2}''$	6.00	5.50	5.00
2/2 10 5	7.50	6.75	6.00
3 to 3½"		9.00	8.00
3½ to 4"		12.00	11.00
4 to 5" 5 to 6"		16.00	14.00
		20.00	18.00
6 to 7"	35,00	30.00	
robur fastigiata. Pyramidal English Oak—60'			7
3 to 4'		2.00	1.75
4 to 5'	3.85	3.50	

THE COLL MORDER! CO., PAINESVI	LLE, OHIO		15
QUERCUS—Continued	1 Each	5 Each	25 Each
rubra. Red Oak—75'			
4 to 6'		\$ 1.25	\$ 1.00
6 to 8'	2.00	1.75	1.50
8 to 10'	3.50	3.10	2.75
1½ to 1¾"	4.50	4.00	3.50
1¾ to 2" 2 to 2½" 2½ to 3"	5.50	5.00	4.50
2 10 2½"	10.50	7.00	
2 +0 21/"	15.50	9.50 14.00	
3 to 3½"	21.00	18.00	
4 to 5"	30.00	27.50	
5 to 6"		37.50	×
SALISBURIA— (See Ginkgo.)	12.00	01.00	
	,		
SALIX—babylonica. Babylon Weeping Willow—55 8 to 10'		1.10	00
1½ to 1½"	1.35 1.75	1.10 1.50	.90 1.25
11/2 to 9"	2.50	2.25	2.00
2 to 21/2"	3.50	3.10	2.75
1½ to 2" 1½ to 2½" 2 to 2½" 2½ to 3"	4.60	4.10	3.75
3 to 4"	9.00	8.25	0,10
4 to 5"		15.00	
blanda. Wisconsin Weeping Willow-40'			
8 to 10'	1.35	1.10	.90
1½ to 1½"	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ " $1\frac{1}{2}$ to 2 " 2 to $2\frac{1}{2}$ " 2	2.50	2.25	2.00
2 to 2½"	3.50	3.10	2.75
$2\frac{1}{2}$ to 3"	4.60	4.10	3.75
3 to $3\frac{1}{2}$ "		7.00	6.25
matsudana tortuosa. Marcel or Corkscrew Wille	2w-22'		
4 to 6'		1.10	.85
6 to 8'	1.85	1.60	1.35
8 to 10'	2.35	2.10	1.85
$1\frac{1}{2}$ to $2''$	3.50	3.10	2.75
2 to 2½"	4.50	4.10	3.75
Niobe. Golden Weeping Willow-50'			
8 to 10'	1.50	1.30	1.10
$1\frac{1}{2}$ to $2^{\prime\prime}$		2.25	2.00
2 to 2½"	3.50	3.10	2.75
2½ to 3"		4.10	3.75
$\frac{3 \text{ to } 3\frac{1}{2}"}{2\frac{1}{2}}$		7.00	6.25 9.00
3½ to 4"	11.00	10.00	9.00
vitellina. Golden-barked Willow-40'	7.00	7.00	
6 to 8'		1.00	.75
8 to 10' 1½ to 2"		1.25 1.75	1.00 1.50
$1\frac{1}{2}$ to $2''$		2.75	1.30
2½ to 3"		4.00	
3 to 3½"		7.50	
(For Other Willows See Shrub		1.00	
SORBUS—aucuparia. European Mt. Ash—30'	Jeethon)		
	1.65	1.40	1.15
6 to 8' 8 to 10'	2.00	1.75	1.50
1½ to 1¾"	3.25	2.85	2.50
quercifolia. Oak-leaf Mountain Ash—25'	0.20	2000	2.00
6 to 8'	2.00	1.75	1.50
8 to 10'	2.50	2.25	1.00
0 10 10	2.00	au + au U	

16 THE COLE NURSERT CO., PAINES	SVILLE, ONIO		
TAXODIUM—distichum. Common Baldcypress—	-80' 1 Each	5 Each	25 Each
3 to 4' (15" Ball)	\$ 3.15	\$ 2.80	
4 to 5' (17" Ball)	3.65	3.25	
5 to 6' (19" Ball)		4.50	
6 to 7' (22" Ball)			
TILIAamericana. American Linden-80'			
8 to 10'	1.65	1.40	
1½ to 2"	2.50	2.25	\$ 2.00
1½ to 2" 2 to 2½"	3.75	3.35	3.00
2½ to 3"	5.00	4.40	4.00
3 to 3½"		6.75	6.00
3½ to 4"	10.00	9.00	8.00
4 to 5"		15.00	
5 to 6"		20.00	
cordata. Littleleaf European Linden-70'			
6 to 8'	2.00	1.75	1.50
8 to 10'		2.25	2.00
1½ to 2"		3.60	3.25
2 to 2½"		5.50	
$2\frac{1}{2}$ to $3''$	8.50	7.50	
3 to 3½"	12.50	11.00	
3½ to 4"		15.00	
europaea (vulgaris). Common European Lin	den 60'		
6 to 8'		1.50	1.25
8 to 10'		2.25	2.00
2 to 2½"	5.00	4.50	
2 to 2½" 2½ to 3" 3 to 3½"	6.75	6.00	
$\frac{2}{2}$ to $\frac{3}{2}$.	10.00	9.00	
3½ to 4"	13.50	2.00	
4 to 5"		18.00	
5 to 6"		25.00	
platyphyllos. Bigleaf European Linden-75'			
2½ to 3"	7.50	6.75	6.00
3 to 3½"	9.50	8.50	7.50
3½ to 4"	12.50	11.00	10.00
4 to 5"	22.00	19.00	17.00
ULMUSamericana. White or American Elm-8	80′		
6 to 8'	1 95	1.00	.80
8 to 10'	1.60	1.35	1.10
1½ to 1½" 1½ to 1¾"	1.85	1.60	1.35
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	2.10	1.85	1.60
1¾ to 2″	2.75	2.50	2.25
2 to 2½"	3.75	3.35	3.00
2.1/9 10 3"	5.50	5.00	4.50
3 to 3½"	8.00	7.25	6.50
3½ to 4"	11.00	10.00	9.00
4 to 5"	18.00	16.50	15.00
5 to 6"	27.00	25.00	22.50
americana urni—Vase-Shaped Elm—60'			
8 to 10'	2.00	1.75	1.50
1½ to 1½"	2.50	2.25	2.00
1½ to 1½" 1½ to 1¾"	3.00	2.75	2.50
174 10 2	4.00	3.60	3.25
2 to 2½"	6.00	5.00	

ULMUS—Continued	1 Each	5 Each	25 Each
americana molini. Moline Elm—90'			
8 to 10'	\$ 2.00	\$ 1.75	\$ 1.50
1½ to 1½"	2.50	2.25	2.00
$1^{1}\sqrt{2}$ to $1^{3}\sqrt{4}$ "	3.00	2.75	2.50
1¾ to 2"	4.00	3.60	3.25
2 to 2½"		4.50	4.00
$2\frac{1}{2}$ to $3^{\prime\prime}$	_ 6.75	6.00	5.50
3 to 3½"	10.00	8.50	7.50
3½ to 4"	13.50	12.00	11.00
4 to 5"	19.00	17.50	16.00
5 to 6"	29.00	25.00	
carpinifolia (campestris). English Cork Elm—{	201		
		7.50	7.05
6 to 8'		1.50	1.25
8 to 10'		1.90	1.65
1½ to 1½" (\$1750.00 per 1000)	2.50	2.25	2.00
1½ to 1¾" (\$2250.00 per 1000)	3.15	2.80	2.50
1¾ to 2" (\$2750.00 per 1000)	3.75	3.35	3.00
2 to 2½"	5.50	5.00	4.50
2½ to 3"	8.00	7.25	
pumila. Chinese Elm. New-45'			
6 to 8'	1.35	1.10	.90
8 to 10'		1.50	1.25
1½ to 1½"	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	2.75	2.50	2.25
1¾ to 2″	3.50	3.10	2.75
2 to 2½"	4.00	3.60	3.25
2½ to 3"	5.50		
3½ to 4"			
ZANTHOXYLUM—americanum. Prickly Ash—30'			
2 to 3'			.30
3 to 4'		.40	.35
4 to 5'	65	.50	

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

ABELIA—Edward Goucher. New—3' 6" pot plants	1 Each	5 Each \$ 1.25	25 Each \$ 1.00
grandiflora. Glossy Abelia—3'	_Φ 1.50	Φ 1.20	Ф 1.00
7" pot plants	_ 1.15	.90	
ACANTHOPANAX—sieboldianus (pentaphyllum).			
Five-leaved Aralia—8'			
2 to 3'		.35	.30
3 to 4'	55	.45	.38
ALTHEA—(See Hibiscus.)			
AMELANCHIER—canadensis. Downy Serviceberry—	-25′		
2 to 3'	60	.50	
3 to 4'		.70	
4 to 5'		.90 1.35	
5 to 6'	_ 1.00	1.55	
AMORPHA—fruticosa. False Indigo—10'	=0	40	0.5
4 to 5'		.40	.35
5 to 6' 6 to 8'		.50 .70	.45 .60
	00	.70	.00
ARONIA—arbutifolia. Red Chokeberry—6'	40	0.0	0=
2 to 3'	40	.32	.27
3 to 4' 4 to 5'		.40 .60	.35 .50
brilliantissima. Brilliant Chokeberry—6'	10	.00	.50
1½ to 2'	40	.30	.25
2 to 3'	.45	.35	.30
melanocarpa (nigra). Black Chokeberry-6'	_ •••		
2 to 3'	40	.32	
3 to 4'	50	.40	
prunifolia (atropurpurea). Purple Chokeberry—	6'		
1½ to 2′	35	.25	
2 to 3'		.32	
3 to 4'	50	.40	
AZALEA—(All Azalea B&B)			
amoena. Dark red—4'			
12 to 15" (10" Ball)	_ 1.75	1.50	
calendulacea. Flame Azalea—Yellow—8'	2.00	3.00	7.50
1½ to 2′ (11″ Ball) 2 to 3′ (12″ Ball)	_ 2.00 _ 2.50	1.75 2.25	1.50 2.00
3 to 4' (13" Ball)	_ 2.50 _ 3.75	3.35	3.00
gandavensis. Ghent Azalea—5'	_ 0.10	0.00	5.00
1½ to 2' (12" Ball)	_ 3.10	2.75	
2 to 2½' (13" Ball)	4.15	3.75	
hinodegiri, Carmine Azalea—3'			
10 to 12" (10" Ball)	_ 1.75	1.50	
12 to 15" (11" Ball)	_ 2.20	1.90	
mollis. Chinese Azalea3'			
9 to 12" (9" Ball)	_ 1.10	.90	.70
12 to 15" (10" Ball)	_ 1.50	1.25	1.00
15 to 18" (11" Ball)	_ 2.00	1.75	1.50

AZALEA—Continued			
mucronulatum. Dahurian Azalea—5'	1 Each	5 Each	25 Each
2 to 2½' (13" Ball)	\$ 2.75	\$ 2.50	20 Hach
nudiflora. Pinxterbloom		w =	
1½ to 2′ (11″ Ball)	2.00	1.75	\$ 1.50
2 to 3' (12" Ball)	2.50	2.25	
poukhanensis. Korean Azalea—6'		2.20	
18 to 24"	2.50	2.25	2.00
24 to 30"	3.75	3.35	2.00
24 to 30"	0.10	0.00	
15 to 18" (11" Ball)	2.10	1.85	1.60
1½ to 2' (12" Ball)	2.50	2.25	2.00
2 to 2½' (13" Ball)	3.75	3.35	3.00
	0.10	0.00	3.00
BENZOIN (Lindera), aestivale, Spicebush—10'	0.5	0.5	20
1½ to 2′		.25	.20
2 to 3'	45	.35	.30
3 to 4'	55	.45	.40
BERBERIS			
koreana. Korean Barberry—6'. New			
1½ to 2′	40	.30	.25
2 to 2½'		.35	.30
2½ to 3′	.50	.45	.40
3 to 4'		.60	.50
4 to 5'		.80	.70
5 to 6'	1.40	1.15	1.00
b	1.10	1.10	1.00
thunbergi. Japanese Barberry—4'	5 E - 1- 1	25 Each 2	50E1
thunbergi. Japanese Darberry—4	0 Dacn 2	2) Eacn 2	\$0.07½
12 to 15" 15 to 18"	\$\phi \ \text{U.11} \cdot 2	φυ.υ9	.10
		.14	.10
$\frac{1\frac{1}{2}}{2}$ to $\frac{2}{2}$.14	
2 to 2½'	22	.10	.16 .22
$2\frac{1}{2}$ to $3'$ thunbergi atropurpurea. Red-leaved Japanese B	04	, .25	-44
thunbergi atropurpurea. Rea-leavea Japanese B	aroerry—4	1.1	00
12 to 15"		.11	.09
15 to 18"		.14	.12
1½ to 2′		.18	.16
2 to 2½'		.25	.22
2½ to 3′	37	.32	.30
thunbergi erecta—Price, inside Fiont Cover. thunbergi minor. Box Barberry—3'			
thunbergi minor. Box Barberry—3'			
9 to 12"		.14	.12
12 to 15"		.17	.15
15 to 18"	27	.23	.20
1½ to 2'		.30	.25
2 to 2½′	45	.35	.30
BERBERIS—mentorensis.			
(The Evergreen Barberry)—4'. U. S. Plant	Patent N	[o. 99.]	New.
1 0 7 7 1 1 1 1 1	. 1	7 *	1 .
A fine, hardy, practically evergreen barberry where sell. 1 12 to 15" \$ 15 to 18" \$	Each 51	Each 25	Each
12 to 15" \$	0.30 \$	0.25	0.18
15 to 18"	35	$.27\frac{1}{3}$	20
1½ to 2′	.45	$.33\frac{1}{2}$.25
	.50	$.37\frac{7}{2}$.30
2 to 2½'	.70	.55	.45
2½ to 3′ 3 to 3½′	.90	.70	.60
		. / 1 /	

BUDDLEIA-alternifolia. 6'

A sensational introduction. Unlike all other "Butterfly Bushes" this variety is hardy and does not freeze down in the winter. Charming lilac-purple flowers borne on long arching branches. Profuse in flower in early summer. Beautifully distinct foliage.

distinct		Each 0.40 .45 .55	5 Each \$ 0.30 .35 .45	25 Each \$ 0.25 .30 .40
	EIA—Butterflybush or Summer Lilac tune. Plant Patent No. 206. Clear lavender-blue. 2 years, field grown (\$225 per 1000)		.40	.25

New Buddleias

Charming

New outstanding PINK Buddleia bearing throughout late summer and autumn, long sprays of lavender-pink flowers. We like this variety the best of all and recommend it highly.

Concord. Purplish blue.

Dubonnet. Reddish purple; fine improvement on Ile de France. Nearest true red introduction to date.

Price of above new introductions-

	I Each	5 Each	25 Lach	250 Lach
1 year	\$ 0.26	\$ 0.21	\$ 0.16	\$ 0.13
2 years	.30			
_ ,				

	,		
CALYCANTHUS—floridus. Strawberry Shrub.	1 Each	5 Each	25 Each
Sweetshrub—5' 15 to 18"	\$ 0.35	\$ 0.25	\$ 0.20
1½ to 2′		.30	.25
CARAGANA—arborescens. Siberian Pea-tree—12'			
1½ to 2′		.20	.16
2 to 3'	35	.25	.20
CEANOTHUS—americanus. Jersey-tea—3'	40	90	05
2 years	40	.30	.25
CEPHALANTHUS—occidentalis. Buttonbush—6'	40	20	OF.
2 to 3' 3 to 4'	40	.30 .35	.25
4 to 5'		.50	.45
5 to 6'	80	.70	.60
CERCIS—See Ornamental Trees.			
CHAENOMELES—lagenaria (Cydonia japonica). Japan Quince—5'	**		
$1\frac{1}{2}$ to 2 '		.27	.22
2 to 3'	.40	.30	.25
(japonica) pgymea. Dwarf Japan Quince—3'	0.5		22
12 to 18"	35	.27	.22
1½ to 2′	40	.30	.25
maulei. Lesser Flowering Quince-5'			
1½ to 2′	35	.27	.22
2 to $2\frac{1}{2}$ '	45	.35	.30

THE COLL HORSERT CO., PAINESTI	LLE, OHIO		21
CHIONANTHUS—virginica. White Fringe—15'	1 Each	5 Each	25 Each
2 to 3'	\$ 0.55	\$ 0.45	ao agen
3 to 4'	.80	.70	\$ 0.60
4 to 5'	1.10	.90	.80
5 to 6'		1.10	1.00
6 to 8'	2.00	1.75	1.50
CLETHRA—alnifolia. Sweet Pepper Bush—5'			
12 to 18"	35	.27	.22
12 to 18" 1½ to 2'	45	.35	.27
2 to 2½'	50	.40	.35
COMPTONIA—asplenifolia. Sweetfern—3'			
1½ to 2'	50	.40	.35
1½ to 2′	60	.50	.45
CORNUS		•••	***
alba elegantissima. Silverblotch Dogwood-6'			
12 to 18"	35	.25	
1½ to 2′	40	.30	.25
2 to 3'	50	.40	.35
3 to 4'	.60	.50	.45
alba sibirica. Coral Dogwood-8'		•••	• • • •
2 to 3'	35	.27	.22
3 to 4'	.45	.35	.27
4 to 5'	55	.45	
alba spaethi. Golden-leaved Dogwood-6'			
1½ to 2′	40	.30	.25
2 to 3'	50	.40	.35
3 to 4'	60	.50	.45
alternifolia. Pagoda Dogwood—18'			
2 to 3'	45	.35	.30
3 to 4'	55	.45	.40
4 to 5'	70	.60	.50
5 to 6'	95	.80	.70
amomum (sericea). Silky Dogwood—8'	45	.35	.27
4 to 5'		.40	.35
	50	040	.00
baileyi. Bailey Dogwood—10' 2 to 3'	·/ 40	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	55	.45	.40
florida—-See Ornamental Trees.		***	
kousa—See Ornamental Trees.			
mas Cornelian charry 20'			
3 to 4'	1.35	1.15	
4 to 5'	2.00	1.75	
5 to 6'	2.75	2.50	ģ:
racemosa (paniculata). Gray Dogwood—12'			
2 to 3'	35	.27	.22
3 to 4'		.35	.30
4 to 5'		.45	.40
5 to 6'		.60	.50
6 to 8'	1.00	.90	.80
sanguinea. <i>Bloodtwig Dogwood</i> —10' 2 to 3'	35	.27	.22
3 to 4'		.35	.27
4 to 5'		.40	.35
5 to 6'		.50	.45

CORNUS—Continued	1 Each	5 Each	25 Each
stolonifera. <i>Red-osier Dogwood</i> —10' 2 to 3'	\$ 0.35	\$ 0.27	\$ 0.22
3 to 4'		.35	.27
4 to 5'		.40	.35
5 to 6'		.50	.45
6 to 8'	85	.70	.60
stolonifera flaviramea. Goldentwig Dogwood-6'			
2 to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'		.60	.50
CORYLUS—americana. American Hazelnut—12'	45	25	20
2 to 3'		.35 .45	.30
3 to 4' 4 to 5'	75	.60	.50
avellana. Filbert—15'		.00	.50
8 to 10', Specimens	_ 2.50	2.25	2.00
COTINUS coggygria (Rhus cotinus). Smoketree or I	Purple F	ringe—12	,
1½ to 2′		.40	.35
2 to 3'	65	.50	.40
3 to 4'		.70	·
4 to 5'	_ 1.15	1.00	.85
COTONEASTER			
acutifolia. Peking Cotoneaster—10'	25	0.77	99
1½ to 2′		.27	.22
2 to 3'		.35 .40	.27
3 to 4' 4 to 5'	70	.60	.50
adpressa. Creeping Cotoneaster—2'	10	.00	.00
adpressa. Greeping Cotoneaster—2 $1\frac{1}{2}$ to 2' (12" Ball)	_ 2.25	2.00	1.75
2 to 2½′ (13" Ball)	3.10	2.75	2.50
bullata. Bigleaf or Hollyberry Cotoneaster—6'	0.10	2,10	2.00
3 to 4' (14" Ball)	_ 2.00	1.75	1.50
4 to 5' (15" Ball)	2.50	2.25	2.00
dielsiana. Diels Cotoneaster—6'			
3 to 4' (14" Ball)	_ 2.00	1.75	1.50
divaricata. Spreading Cotoneaster—6'			
1½ to 2' (11" Ball)	_ 1.15	.90	.75
2 to 3' (13" Ball)	_ 1.40	1.15	1.00
3 to 4' (14" Ball)	_ 1.75	1.50	1.25
4 to 5' (16" Ball)	2.50	2.25	2.00
foveolata—10'			
2 to 3' (13" Ball)	_ 1.50	1.25	1.10
3 to 4' (14" Ball)	_ 1.85	1.60	1.40
4 to 5' (15" Ball)	2.50	2.25	2.00
horizontalis. Rock Cotoneaster—3'			= 0
9 to 12", 5" Pots		.60	.50
1½ to 2′ (12″ Ball)	_ 1.75	1.50	1.25
hupehensis. Hupeh Cotoneaster—6'	1.00	7.50	1.0"
2 to 3' (13" Ball) 3 to 4' (14" Ball)	$\begin{array}{ccc} - & 1.75 \\ - & 2.25 \end{array}$	$\frac{1.50}{2.00}$	1.25 1.75
3 to 4 (14 Dan)	2,25	2.00	1.75

Secure a supply of Truehedge Columnberry. America's Greatest Plant Sensation.

THE COLE NURSERY CO., PAINE	ESVILLE, OHIO)	23
COTONEASTER—Continued	1 Each	5 Each	25 Each
integerrima. European Cotoneaster-4'			
1½ to 2′ (11″ Ball)	\$ 1.50	\$ 1.25	\$ 1.00
2 to 3' (13" Ball)	1.85	1.60	1.35
rogersiana			
Fine New Variety. Glossy foliage; masses	of brilliant	fruits.	
12 to 15" (10" Ball)	1.60	1.35	1.10
15 to 18" (11" Ball) 1½ to 2' (12" Ball)	1.85	1.60	1.10 1.35
1½ to 2′ (12″ Ball)	2.25	2.00	1.75
2 to 2½' (14" Ball) 2½ to 3' (16" Ball)	2.75	2.50	2.25
2½ to 3' (16" Ball)	3.50	3.10	2.75
salicifolia. Willowleaf Cotoneaster—8'	2 50	0.05	
3 to 4' (14" Ball)	2.50	2.25	ķ
CRATAEGUS—See Ornamental Trees.			
DAPHNE—mezereum. February Daphne—4'			
15 to 18" (10" Ball)	1.60		1.10
1½ to 2' (12" Ball)	2.10	1.85	1.60
Somerset. (Plant Patent No. 315.)	1 Each 5	Each 25	Each
15 to 18"	\$ 1.00 \$	0.85 \$	0.75
18 to 24"	1.50	1.25	1.15
15 to 18"	2.50	2,25	1.90
New introduction from England. Very fragr	ant Bluch-n	ink etar-el	aned
flowers in 6 to 8 inch spikes. Deep green	foliage hold	ing till M	larch
Semi-upright growth.	romago mora	ing the m	iaicii.
DEUTZIA—gracilis. Slender Deutzia—3'	1 Each	5 Each	25 Each
12 to 15"	\$ 0.30	\$ 0.20	\$ 0.16
15 to 18"	.35	.25	.20
$1\frac{1}{2}$ to $2'$ lemoinei. Dwarf White—5'	.45	.35	.30
1½ to 2'	.40	.30	.25
2 to 21/2'	.50	.40	.35
2 to 2½' magnifica. Beautiful Double White—7'		.10	.00
2 to 3'		.27	.22
3 to 4'	45	.35	.27
4 to 5'	.50	.40	.35
5 to 6'		.55	.45
rosea. Rose Panicle Deutzia-4'			-
$1\frac{1}{2}$ to $2'$.30	.25
2 to 2½′	.50	.40	.35
2½ to 3′	70	.55	.45
3 to 3½'	.85	.70	.60
scabra candidissima. Snowflake Deutzia—9'		.27	.22
2 to 3'		.35	.27
3 to 4' 4 to 5'		.40	.35
5 to 6'		.55	.45
scabra (crenata) rosea. Scallop-leaf Deutzia		.50	
2 to 3'	35	.27	.22
3 to 4'	.45	.35	.27
4 to 5'	.50	.40	.35
scabra, Pride of Rochester. Double Pink-	9′		
2 to 3'	35	.27	.22
3 to 4'	45	.35	.27
4 to 5'	.50	.40	.35
5 to 6'	70	.55	.45

DESMODIUM—penduliflorum. (See Lespedeza.)		5 Each	25 Each
DIERVILLA-sessilifolia Southern Bush-honeysuckle-	 5'		
1½ to 2′	\$ 0.35	\$ 0.25	\$ 0.20
2 to 3'		.30	.25
3 to 4'	.50	.40	.35
ELAEAGNUS—angustifolia. Russian Olive—15'	25	97	99
2 to 3'	.35	.27 .35	.22
3 to 4' 4 to 5'		.40	.35
5 to 6'		.60	.50
6 to 8		.80	.70
8 to 10'		1.50	1.25
umbellata. Autumn Elaeagnus—12'			
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'		.60	.50
5 to 6'		.85	.75
6 to 8'	. 1.50	1.25	
ELSHOLTZIA—stauntoni 2 years	.55	.45	
·		.40	
ENKIANTHUS—campanulatus. Redvein Enkianthus-	15'		
1½ to 2′ (11″ Ball)	2.00	1.75	1.50
2 to $2\frac{1}{2}$ (12" Ball)	2.50	2.25	
campanulatus rubus. 1½ to 2′ (11″ Ball)	9.00	3.75	1.50
2 to 2½′ (12″ Ball)		1.75 2.25	1.50
	2.50	2.25	
EUONYMUS—alatus. Winged Euonymus—8'			
1½ to 2′	.65	.55	.45
2 to 3'	1.00	.80	.70
alatus compactus. New. Compact, dwarf—5'	70		45
12 to 18"11½ to 2'	70	.55 .70	.45
2 to 2½'	. 1.35	1.15	1.00
2½ to 3′	1.85	1.60	1.35
americanus. Brook Euonymus—5'	1,00	1.00	1.00
1½ to 2′	35	.27	.22
2 to 3'	.45	.35	.30
atropurpureus. Wahoo—15'			
2 to 3'	.40	.30	.25
3 to 4'	.50	.40	.35
bungeanus. Winterberry Euonymus—15'			
2 to 3' 3 to 4'		.30	.25
3 to 4' 4 to 5'	50	.40	.35
europaeus. Burning Bush—15'	.75	.60	.50
2 to 3'	35	.27	.22
3 to 4'	45	.35	.30
4 to 5'		.55	.40
5 to 6'	.80	.65	.55
6 to 8'	1.00	.85	.75
8 to 10'	1.75	1.50	
10 to 12'	2.50	2.25	
latifolius. Broadleaf Burning Bush—10' 3 to 4', Specimens	00		15
4 to 5', Specimens		.75 1.15	.65 1.00
T to 0, Specimens	1.55	1.15	1.00

EUONYMUS—Continued yedoensis. Yeddo Euonymus—10'	1 Each	5 Each	25 Each
2 to 3'	\$ 0.50	\$ 0.40	\$ 0.35
3 to 4' 4 to 5'	70	.55	.45
		.80	.70
EXOCHORDA—racemosa (grandiflora). Pearl Bush-	—10′	40	0.7
2 to 3'3 to 4'	50	.40 .60	.35 .50
FONTANESIA—fortunei. Fortune Fontanesia—14'		•00	.00
8 to 10'	_ 1.65	1.40	1.25
10 to 12'	2.50	2.25	2.00
12 to 14'	_ 3.50	3.10	2.75
FORSYTHIA—intermedia. Border Forsythia—7'			
2 to 3'	35	.25	.20
3 to 4'		.35	.28
4 to 5' 5 to 6'	50	.40 .50	.30
intermedia primulina. Primrose Forsythia-8'	00	.00	OF.
2 to 3'		.30	.25
3 to 4'	.50	.40	.35
4 to 5'intermedia spectabilis. Showy Border Forsythia-	.70	.55	.45
2 to 3'	_o 35	.27	.22
3 to 4'	45	.35	.28
4 to 5'	55	.45	.40
5 to 6'		.60	.50
suspensa. Weeping Forsythia—8' 2 to 3'	.35	.27	.22
3 to 4'	45	.35	.28
4 to 5'	55	.45	.40
5 to 6'		.65	.55
6 to 7' suspensa aurea. Goldenleaf Forsythia—7'	.95	.80	.70
2 to 3'	40	.30	.25
3 to 4'	45	.35	.30
4 to 5'	55	.45	.40
suspensa fortunei. Fortune Forsythia—8' 3 to 4'	40	.30	.25
4 to 5'		.40	.35
5 to 6'		.55	.45
viridissima. Greenstem Forsythia—8'			
2 to 3'		.30	.25
3 to 4'	50	.40	.35
HAMAMELIS-japonica. Japanese Witch Hazel-18	,		
2 to 3'		.60	.50
3 to 4'	_ 1.00 _ 1.25	.80 1.10	.70 1.00
4 to 5'virginiana. Witch Hazel—15'	_ 1.20	1.10	1.00
virginiana. Witch Hazer—15 $1\frac{1}{2}$ to $2'$	40	.30	
2 to 3'	45	.35	.30
3 to 4'		.45	.40
4 to 5' 5 to 6'		.70 1.10	.60 1.00
3 10 0	_ 1.20	1.10	1.00

HIBISCUS—syriacus. Althea—Rose of Sharon—15'	Each	5 Each	25 Each
2 to 3'		\$ 0.27	\$ 0.22
3 to 4'	.40	.35	.27
4 to 5'	.50	.40	.35
4 to 5' 5 to 6' 6 to 7' (Varieties * only)	.70	.55	.45
6 to 7' (Varieties * only)	.85	.70	.60
5 to 6', Tree Shape (Varieties † only)	.90	.75	.65
Amplissimus. Flesh-pink.			
†Anemonaeflorus. Double pink.			
†*Ardens. Double violet-purple.			
†*Ardens. Double violet purple. *Banner. Double white; decided crimson stripes.			
Bicolor. Double white: streaked pink.			
Coelestis. Single blue. Add 10c each. Sizes to 4 to	5'.		
†Duchesse de Brabant. Double red.			
*Jeanne d'Arc. Double pure white.			
†Lady Stanley. Mottled pink and white.			
*Lucy. Semi-double, clear deep pink.			
†Purpureus semi-plenus. Semi-double purple.			
†Rubis. Single red. Add 10c each.			
†*Totus Albus. Large single white, Variegatus. Variegated leaved. Add 10c each. Siz			
		to 5'.	
HYDRANGEA-arborescens grandiflora. Hills of Snow	w6'		
1½ to 2′	.35	.27	.22
2 to 3'	.45	.35	.28
paniculata grandiflora. Peegee—7'			
1½ to 2′	.35	.25	.20
2 to 3'	.40	.30	.25
3 to 4'	.50	.40	.35
HYPERICUMarnoldianum. Arnold St. Johnswort-	ľ		
$1\frac{1}{2}$ to 2^{\prime}	.40	.30	.25
2 to 2½'	.50	.40	.35
2½ to 3′	.60	.50	.45
3 to 4'	.80	.65	.55
frondosum (aureum). Golden St. Johnswort—4'	40	20	95
2 to 2½′	.40 .45	.30 .35	.25
2 +0 21/2'	.45	.35 .45	.40
2½ to 3′ 3 to 3½′ kalmianum. <i>Kalm Hypericum</i> —3′	.00	.40	.40
11/2 to 9'	.45	.35	.28
1½ to 2' 2 to 2½'	.50	.40	.35
lobocarpum. Golden—6'	•00	.10	.00
$2 \text{ to } 2\frac{1}{2}$.40	.30	.25
2½ to 3′	.50	.40	.35
3 to 4'	.70	.55	.45
3 to 4'			
2 years	.35	.25	.20
patulum henryi. Henry Hypericum—3'			
2 years	.35	.25	.20
3 years	.40	.30	.25
ILEX-montana. Mountain Winterberry-6'			
1½ to 2'	.65	.55	.50
2 to 3'	1.00	.85	.75
verticillata. Winterberry—6'	2.00	,00	
1½ to 2′	.35	.27	.22
2 to 3'	.45	.35	.30
3 to 4'	.60	.50	.45
See pages 62 and 63 for Balling (B&B)	Schedi	ile	
bee pages of and of for Daning (bub)	Demodi	-10	

KOLKWITZIAamabilis. Beauty Bush-8'	1 Each	5 Each	25 Each
1½ to 2′	\$ 0.45	\$ 0.35	
2 to 3'	55	.45	.40
3 to 4'	70	.60	.50
4 to 5'		.80	.70
5 to 6'		1.25	
6 to 7'	2.25	2.00	
LABURNUM			
anagyroides (vulgaris). Goldenchain-20'			
5 to 6'	1.90	1.65	2.00
6 to 8', Specimens (20" Ball) 8 to 10', Specimens (24" Ball)	_ 5.00	4.50	4.00
8 to 10', Specimens (24" Ball)	8.25	8.00	
vossi. Extra hardy—20' 3 to 4'			
3 to 4'	1.75	1.50	1.25
4 to 5' LESPEDEZA bicolor. Shrub Bushclover—7'	2.25	2.00	1.75
LESPEDEZA bicolor. Shrub Bushclover—l'	1.15	0.0	
6 to 7'	, 1.15	.90	.75
thunbergi (formosa) (Desmodium). Purple Bus	hclover-		0.5
2 years4 years, heavy clumps	35	.30	.25
4 years, heavy clumps	.55	.45	.40
LIGUSTRUM—amurense. Amur River Privet—12'	5 E L	25 151-	250 E - 1
12 to 10" 2 copes and up	© 0.07	20 Each	\$0.04½
12 to 18", 3 canes and up	_φ υ.υ <i>τ</i> Ω01.	4 07	.06
2 to 3' 4 canes and up	$\frac{1007}{101}$	4 00	.08
2 to 5, 4 canes and up	.10%	$\frac{2}{.13\frac{1}{2}}$	$.12\frac{1}{2}$
3 to 4′, 5 canes and up ibolium. <i>Hardy California Privet</i> —10′	1 4	.1372	.1472
12 to 18"	.07	$.05\frac{1}{2}$	$.04\frac{1}{2}$
$1\frac{1}{2}$ to 2', 3 canes and up			.0472
2 to 3′, 4 canes and up			.08
3 to 4'		$13\frac{1}{2}$	$.12\frac{1}{2}$
ibota. Chinese Privet—8'	1.4	.10/2	.14/2
1½ to 2′	.11	.09	.08
2 to 3'	.15	.13	.12
3 to 4'		.20	.17
ibota erecta	. ,		
	.35	.25	.20
2 to 3'	.45	.35	.30
Cole's new upright growing strain. All the	е		
advantages of ibota's hardiness and color in	1		
an upright, compact type,			
obtusifolium (ibota) regelianum. Regel Privet—	6'		
12 to 18"	25	.19	.16
$1\frac{1}{2}$ to $2'$	30	.25	
2 to 2½'	40	.35	
$2\frac{1}{2}$ to 3'	50	.45	·
ovalitolium. California Privet—10'			0.41/
12 to 18", 2 canes and up 1½ to 2', 3 canes and up	07	$.05\frac{1}{2}$	$.04\frac{1}{2}$
$1\frac{1}{2}$ to 2', 3 canes and up	.081/		.06
2 to 3', 4 canes and up	10^{1}		.08
3 to 4', 5 canes and up	.17	$.13\frac{1}{2}$	$.12\frac{1}{2}$
ovalifolium variegatum. Golden California Privet	—5′	0.5	90
12 to 18"	35	.25	.20
1½ to 2′	.40	.30	.25
2 to 3'	_ (45	.35	.30
vulgare. English Privet—10'	16	10	
1½ to 2′		.12	
2 to 3'		.20	
3 to 4'	.40	.50	150

LIGUSTRUM—Continued vulgare nanum compactum. Lodense Privet—2½'	5 Each	25 Each 2	250 Each
6 to 9"	\$ 0.20	\$0.15	\$0.12
9 to 12"	.25	.18	.15
12 to 15" 15 to 18"	.35	.25	.20
15 to 18"	.40	.30	.25
LONICERA—Bush Honeysuckle			
bella albida. White Belle Honeysuckle—8' 2 to 3'	1 Each	5 Each \$ 0.27	25 Each \$ 0.22
3 to 4'		.35	.27
4 to 5'		.40	.35
5 to 6'		.60	.50
bella atrorosea. Pink Belle Honeysuckle—8'	~=		
2 to 3'		.27	.22
3 to 4'		.35	.27 .35
5 to 6'		.60	.50
fragrantissima. Winter Honeysuckle—8'		,,,,	
2 to 3'		.30	.25
3 to 4'		.40	.35
korolkowi floribunda. Broad Blueleaf Honeysuckl		25	20
1½ to 2' 2 to 3'		.35 .45	.30
3 to 4'		.75	.65
maacki. Amur Honeysuckle—10'	,	,,,	•00
2 to 3'	.40	.30	.25
3 to 4'		.35	.30
4 to 5'		.45	.40 .60
5 to 6' morrowi. Morrow Honeysuckle—8'	.85	.70	.00
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	55	.45	.40
ruprechtiana. Manchurian Honeysuckle—10'	25	97	.22
2 to 3' 3 to 4'		.27	.22
4 to 5'		.45	.40
tatarica alba. White Tatarian Honeysuckle—10'			
2 to 3'	.35	.27	.22
3 to 4'	45	.35	.28
4 to 5′	55	.45	.40 .55
5 to 6' 6 to 7'		.65 .80	.70
tatarica grandiflora. Pink Bride Honeysuckle—10		•00	
2 to 3'		.27	.22
3 to 4'		.35	.28
4 to 5'		.40	.35
5 to 6'tatarica sibirica. Red Tatarian Honeysuckle—10'	.75	.60	.50
2 to 3'	35	.27	.22
3 to 4'		.35	.28
4 to 5'		.45	.40
zabeli. New Red-8'			
1½ to 2′		.30	.25
2 to 3'	.50	.40	.35

THE COLL HORSER! CO., PARKESTILLE,	01110		29
1	Each	5 Each	25 Each
MYRICA—pennsylvanica (carolinensis). Northern Bay	berry-	5'	20 Euch
15 to 18"\$	0.55	\$ 0.45	\$ 0.40
$1\frac{1}{2}$ to $2'$.75	.60	.50
PHILADELPHUS. Syringa or Mockorange			
Avalanche. Prolific. Single—5'			
2 to 3'	.40	.30	.25
3 to 4'	.50	.40	.35
4 to 5'	.70	.60	.50
A GLORIOUS NEW SHRUB			
Cole's 1940 Introduction. Not Paten	ted.		
Cole's Glorious. Glorious Mockorange—8'		1. 3.6	
(Virginale X Rosace.) A Cole origination of gre flowers of snowy white; large glossy rich green	at me	rit. Mam	moth
texture densely set on the shrub. Strong upright	nont	ge of lea	nery
pact shrub, profuse in bloom. A most prominent	hvhri.	dist and l	norti-
culturist who has personally done a great deal	of w	ork on N	lock-
culturist who has personally done a great deal orange proclaims Cole's Glorious to be the finest	of all	l.	
1 Each 2 to 3' \$ 0.70	5 F	Each 25	Each
2 to 3' \$ 0.70) \$	0.55 \$	0.45
3 to 4'	0	.65 .80	.55
4 to 5'9	5	.80	
3 to 4'	5	1.00	
			05 E 1
coronarius. Sweet Scented Syringa—9' 1 2 to 3'\$	n 35	5 Each \$ 0.27	25 Each \$ 0.22
3 to 4'	.45	.35	.27
4 to 5'	.50	.40	.35
5 to 6'	.60	.50	.45
coronarius aureus. Golden-leaved Mockorange—5'			
12 to 15"	.40	.30	.25
15 to 18"	.50	.40	.35
cymosus, Banniere. Early, semi-double pure white-		0.77	0.0
2 to 3'	.45	.35	.30
3 to 4'	.55	.45	.40
cymosus, Norma. Mammoth single flowers; fine foliage. Bushy and symmetrical—7'			
2 to 3'	.45	.35	.30
2 to 3' 3 to 4'	.50	.40	.35
grandiflora. Big Scentless Mockorange—12'			
3 to 4'	.40	.30	.25
4 to 5'	.50	.40	.35
5 to 6'	.65	.50	.45
6 to 8'	.85	.70	.60
lemoinei. Semi-dwarf—5' 1½ to 2'	.40	.30	.25
2 to 3'	.50	.40	.35
lemoinei, Girandole. New. Large white. Strong	.00	or.	,00
3 to 4'	.60	.50	.45
3 to 4' Virginal. Splendid double—8'			
	.35	.27	.22
2 to 3'	.45	.35	.30
3 to 4'	.60	.50	.40
4 to 5'	.80 1.35	1.10	.55
5 to 6'6 to 7'	1.75	1.50	
U IU 1			

PHOTINIA—villosa. Christmasberry—8' 2 to 3'villosa laevis. Smooth Christmasberry8'	1 Each \$ 0.50	5 Each \$ 0.40	25 Each \$ 0.35
villosa laevis. Smooth Christmasberry8'	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	φ 0.10	ψ 0.00
3 to 4' 4 to 5'	.50	.40	.35
4 to 5'	70	.60	.50
5 to 6'	90	.75	.65
PHYSOCARPUS—monogynus. Dwarf Ninebark—5'			
2 to 3'	.40	.30	.25
3 to 4'	50	.40	.32
opulifolius. Ninebark—10'			
2 to 3' 3 to 4'	35	.27	.22
3 to 4'	45	.35	.27
4 to 5'	50	.40	.35
opulifolius luteus. Goldleaf Ninebark10'	0.5	0.5	22
2 to 3'	35	.27	.22
3 to 4'		.35	.27
4 to 5'	50	.40	.35
POTENTILLA—fruticosa. Shrubby Cinquefoil—4'			
12 to 18"	.40	.30	.25
PRUNUS—(See Shade for other Prunus.) besseyi. Bessey Cherry—5'			
besseyi. Bessey Cherry—5' 1½ to 2'	35	.25	.20
2 to 3'	.40	.30	.25
3 to 4'besseyi. <i>Hansen variety</i> (Bush Cherry)—6'	45	.35	.30
besseyi. Hansen variety (Bush Cherry)-6'			
2 to 3'3 to 4'	.40	.30	.25
3 to 4'	50	.40	.35
4 to 5'gland. alba. Double-white-flowering Almond—5'	60	.50	.45
giand. alba. Double-white-howering Almond—5 $1\frac{1}{2}$ to 2'	40	.30	.25
2 to 3'	50	.40	.35
gland. rosea. Double-pink-flowering Almond—5'	00	• 10	,00
1½ to 2′	.40	.30	.25
2 to 3'		.40	.35
japonica. Chinese Bush Cherry8'			
2 to 3'3 to 4'	45	.35	.30
3 to 4'	55	.45	.40
maritima. Beach Plum—12' 2 to 3'	~ ~	45	40
2 to 3	55	.45 .55	.40 .50
3 to 4'pumila. Sand Cherry—5'	03	.00	.50
1½ to 2′	40	.30	.25
2 to 3'	50	.40	.35
3 to 4'	65	.55	.45
4 to 5' tomentosa. Nanking Cherry—10'	85	.70	.60
tomentosa. Nanking Cherry—10'			
3 to 4'	60	.50	.40
4 to 5'	70	.60	.50
triloba plena. Double pink-flowering Plum-9' 2 to 3'	50	.40	.35
3 to 4'		.50	.45
4 to 5'		.65	.55
		.00	,00
PYRACANTHA—coccinea lalandi. Laland Firethorn	6'	7.05	7.50
1½ to ½' (14" Ball)	2.00	1.75	1.50
1½ to 2′ (14″ Ball) 2 to 2½′ (16″ Ball) 2½ to 3′ (18″ Ball)	2.25	$\frac{2.00}{2.50}$	1.75 2.25
2/2 to 0 (10 Pail)	_ 2.13	2.50	2.20

PYRACANTHA—coccinea lalandi—Continued	1 Each	5 Each	25 Each
PYRACANTHA—coccinea lalandi—Continued 3 to 3½′ (20″ Ball)	\$ 3.75	\$ 3.35	\$ 3.00
Our Pyracantha have been symmetrically trimmed and root-pruned yearly.	,	w	,
RHAMNUS—cathartica. Buckthorn—12'			
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.27
4 to 5'		.40	.35
5 to 6'	.70	.55	.45
6 to 7'davurica—Dahurian Buckthorn—12'	1.00	.80	
davurica—Dahurian Buckthorn—12'		0.0	
2 to 3'	.40	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	.40
davurica chadwicki. Chadwick Buckthorn—10' A grand new sort with lovely shiny foliage.			
	.45	.35	.30
2 to 3' 3 to 4'	5.50	.40	.35
4 to 5'	.65	.50	.45
frangula. Glossy Buckthorn—10'	.00	.00	•-10
1½ to 2′	.35	.25	.20
2 to 3'	.40	.30	.25
3 to 4'	.45	.35	.28
4 to 5'		.40	.35
5 to 6'	.70	.60	.50
6 to 7'		.85	.75
		•••	•••
RHODOTYPOS—scandens (kerrioides). Jetbead—6'			
2 to 3'	.40	.35	.30
3 to 4'	.55	.45	.40
RHUS—aromatica (canadensis). Fragrant Sumac—5'			
1½ to 2′	.40	.30	.25
2 to 3'	.45	.35	.30
copallina. Shining Sumac—12'	4.5	25	20
2 to 3'	.45	.35	.30
3 to 4'	.65 .90	.50 .75	.40
4 to 5'	1.15	1.00	.90
5 to 6'	1.75	1.50	1.25
6 to 8'	1.70	1.50	1.20
glabra. Smooth Sumac—10' 3 to 4'	.45	.35	.30
	.55	.45	.40
4 to 5'	.75	.60	.50
5 to 6'	.10	.00	.00
typhina. Staghorn Sumac—15'	.40	.30	.25
2 to 3'	.45	.35	.30
3 to 4'	.55	.45	.40
4 to 5'	.00	.40	.40
typhina laciniata. Shredded Sumac—15' 3 to 4'	.45	.35	.30
ROBINIA hispida. Rose-Acacia. Flowering Locust—8	,		
1½ to 2'	.40	.30	.25
2 to 3'	.50	.40	.35
3 to 4'	.75	.60	.50
V VV * ================================			

Truehedge Columnberry is America's finest hardy hedge plant. See inside front cover.

ROBINIA—Continued 1 viscosa. Clammy Locust—8' 2 to 3'	Each 0.50 .50 .35	5 Each \$ 0.40	25 Each \$ 0.35
viscosa. Clammy Locust—8' 2 to 3'\$ ROSA—See Pages 50-54 RUBUS—odoratus. Flowering Raspberry—6' 2 to 3' SALIX—discolor. Pussy Willow—18' 2 to 3' 4 to 5'	.50	7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
ROSA—See Pages 50-54 RUBUS—odoratus. Flowering Raspberry—6' 2 to 3' SALIX—discolor. Pussy Willow—18' 2 to 3' 3 to 4' 4 to 5'	.50	7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
RUBUS—odoratus. Flowering Raspberry—6' 2 to 3' SALIX—discolor. Pussy Willow—18' 2 to 3' 3 to 4' 4 to 5'		.40	
2 to 3'		.40	
SALIX—discolor. Pussy Willow—18' 2 to 3' 3 to 4' 4 to 5'		.40	
2 to 3' 3 to 4' 4 to 5'	35		.35
2 to 3' 3 to 4' 4 to 5'	35		
4 to 5'	.00	.27	.22
	.45	.35	.27
	.50 .75	.40 .60	.35 .50
6 to 8'	1.00	.75	.70
elaeagnos (incana). Rosemary Willow-12'			
2 to 3'	.40	.30	.25
3 to 4'	.45	.35	.30
4 to 5' 5 to 6'	.65 .85	.50 .70	.40 .60
6 to 7'	1.25	1.05	.90
6 to 7' gracilistyla. Longstyle Willow-12' 2 to 3'			
2 to 3'	.65	.50	.40
3 to 4'	.85	.70	.60
purpurea nana. <i>Dwarf Purple Osier—4'</i> New Blue-leaved Arctic Willow			
12 to 18"	.30	.23	.18
1½ to 2′	.40	.30	.25
2 to 2½'	.45	.35	.30
2½ to 3′	.65	.50	.40
3 to 3½′	.75	.60	.50
SAMBUCUS—canadensis. Common Elder—10'			
2 to 3'	.35	.27	.22
3 to 4' 4 to 5'	.45 .55	.35 .45	.28 .40
5 to 6'	.85	.70	.60
canadensis acutiloba. Cutleaf Elder—8'			
3 to 4'	.45	.35	.30
4 to 5'	.55 .85	.45	.40 .60
5 to 6'nigra aurea. Golden European Elder—10'	.00	.70	.00
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.28
4 to 5'	.55	.45	.40
SHEPHERDIA—argentea. Silver Buffaloberry—15'			
3 to 4'	.45	.35	.30
4 to 5' 5 to 6'	.65 .75	.50 .60	.40 .50
canadensis rubra. Red Fruited Buffaloberry—6'	.75	.00	.50
3 to 4'	.65	.50	.40
4 to 5'	.75	.60	.50
5 to 6'	.85	.70	.60
SORBARIA			
arborea. Tree False-Spirea—6'			
2 to 3'	.40	.30	.25 .30
3 to 4'	.45	.35	.30
	.40	.30	.25
sorbifolia. <i>Ural False-Spirea</i> —5' 2 to 3' 3 to 4'	.40	.00	

SPIRAEA	1 Each	5 Each	25 Each
arguta. Garland Spirea-7'	A 0 45	A O O F	Φ 0 07
3 to 4'	_\$ 0.45	\$ 0.35	\$ 0.27
4 to 5' 6 to 7'	50	$\frac{.40}{1.00}$.35
billiardi. Pink Flowering—5'	_ 1.10	1.00	.50
$1\frac{1}{2}$ to 2^{\prime}	30	.22	.18
2 to 3'	35	.27	.22
3 to 4'	45	.35	.27
4 to 5'	50	.40	.35
bumalda, Anthony Waterer. Dwarf Pink-flowerin	.g—3'	00	10
12 to 15"	30 35	.22 .27	.18
15 to 18"	40	.30	.25
bumalda froebeli. Dwarf pink—4'	10	•00	.20
15 to 18"	30	.22	.18
$1\frac{1}{2}$ to 2'	35	.27	.22
2 to 3'	45	.35	.27
3 to 4'	.50	.40	.35
douglasi. Rosy-red flowers—6' 2 to 3'	25	97	ຄຄ
3 to 4'	35 45	.27 .35	.22
japonica ovalifolia (Callosa alba). White	40	.00	.20
Japanese Spirea—3'			
12 to 18"	35	.25	.20
$1\frac{1}{2}$ to $2'$	40	.30	.25
2 to 3'	.50	.40	.35
latifolia. Pink Meadow Spirea—6' 2 to 3'	40	.30	95
2 10 3	40	.50	.25
macrothyrsa. Improved Billiardi. A new brigh	hter pinl	k, more	free-
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 1	<mark>hter pin</mark> l Each 5	Each 25	Each
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 11 1½ to 2'\$	hter pind Each 5 0.35 \$	Each 25 \$	Each 0.20
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 11 1½ to 2'	hter pind Each 5 0.35 \$	Each 25 0.25 \$.30	Each 0.20 .25
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 11 1½ to 2′\$ 2 to 3′\$ 3 to 4′	hter pind Each 5 0.35 \$.40 .45	Each 25 0.25 \$.30 .35	Each 3 0.20 .25 .30
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'	hter pinl Each 5 0.35 \$.40 .45 .65	Each 25 0.25 \$.30	Each 0.20 .25
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'	hter pinl Each 5 0.35 \$.40 .45 .65	Each 25 0.25 \$.30 .35 .50	Each 0.20 .25 .30 .40
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'\$ 2 to 3'\$ 3 to 4' multiflora. Snowgarland—6' 3 to 4'	hter pind Each 5 0.35 \$.40 .45 .65	Each 25 0.25 \$.30 .35 .50 5 Each \$ 0.35	Each 0.20 .25 .30 .40 25 Each \$ 0.27
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 1) 1½ to 2′	hter pind Each 5 0.35 \$.40 .45 .65	Each 25 0.25 \$.30 .35 .50	Each 0.20 .25 .30 .40
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2′ 2 to 3′ 3 to 4′ 4 to 5′ multiflora. Snowgarland—6′ 3 to 4′ 4 to 5′ nipponica rotundifolia. Big Nippon Spirea—	hter pind Each 5 0.35 \$.40 .45 .65	Each 25 0.25 \$.30 .35 .50 5 Each \$ 0.35	Each 0.20 .25 .30 .40 25 Each \$ 0.27
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'\$ 2 to 3'\$ 3 to 4'\$ multiflora. Snowgarland—6' 3 to 4'4 to 5' nipponica rotundifolia. Big Nippon Spirea— White June Beautful foliage—9'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each -\$ 0.45 -50	Each 25 0.25 \$.30 .35 .50 5 Each \$ 0.35 .40	25 Each 30 .20 .25 .30 .40 .25 Each \$ 0.27 .35
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2′ 2 to 3′ 3 to 4′ 4 to 5′ multiflora. Snowgarland—6′ 3 to 4′ 4 to 5′ nipponica rotundifolia. Big Nippon Spirea—	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each \$ 0.45 .50	Each 25 0.25 \$.30 .35 .50 5 Each \$ 0.35	Each 0.20 .25 .30 .40 25 Each \$ 0.27
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'\$ 2 to 3' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.)	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each \$ 0.45 .50	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40	25 Each 3 0.20 .25 .30 .40 25 Each \$ 0.27 .35
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each - \$ 0.455085 - 1.05	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70	Each 3 0.20 .25 .30 .40 .25 Each 3 0.27 .35 .60 .80
macrothyrsa. Improved Billiardi. A new brigg flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each 0.45 .50 \$ 1.05	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90	Each 0.25 .30 .40 .25 Each \$ 0.27 .35 .60 .80
macrothyrsa. Improved Billiardi. A new brigg flowering and with better foliage. 11 1½ to 2'\$ 2 to 3'\$ 3 to 4'\$ 4 to 5' mipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each 0.45 .50 .85 .1.05	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90 .90	Each 3 0.20 .25 .30 .40 .25 Each 3 0.27 .35 .60 .80 .20 .25
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'\$ 2 to 3'\$ 3 to 4' 4 to 5' multiflora. Snowgarland—6' 4 to 5' mipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each 0.45 .50 \$ 1.05	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90	Each 0.25 .30 .40 .25 Each \$ 0.27 .35 .60 .80
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2'	hter pind Each 5 0.35 \$.40 .45 .65 1 Each 5 0.45 .50 1 Each 5 1.05 1 Each 5 1	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90 .25 .30 .40	Each 3 0.20 .25 .30 .40 .25 Each 3 0.27 .35 .60 .80 .20 .25
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3' 3 to 4' salicifolia. Willowleaf Spirea. White—5' 2 to 3' 3 to 4' 3 to 4'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each 5 0.45 .50 .85 .1.05 .85	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90 .90	Each 3 0.20 .25 .30 .40 25 Each \$ 0.27 .35 .60 .80 .20 .25 .35
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3' 3 to 4' salicifolia. Willowleaf Spirea. White—5' 2 to 3' 3 to 4' 3 to 4'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each 5 0.45 .50 .85 .1.05 .85	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 \$.70 .90 .90 \$.25 .30 .40 .35	25 Each \$ 0.20 .25 .30 .40 25 Each \$ 0.27 .35 .60 .80 .20 .25 .35
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 11 1½ to 2′ 2 to 3′ 3 to 4′ 4 to 5′ multiflora. Snowgarland—6′ 3 to 4′ 4 to 5′ nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9′ 4 to 5′ 5 to 6′ opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8′ 1½ to 2′ 2 to 3′ 3 to 4′ salicifolia. Willowleaf Spirea. White—5′ 2 to 3′ 3 to 4′ thunbergi. Early single white flowering—5′ 1½ to 2′	hter pind Each 5 0.35 \$.40 .45 .65	Each 25	25 Each 30.20 .25 .30 .40 25 Each \$ 0.27 .35 .60 .80 .20 .25 .35
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 1) 1½ to 2'\$ 2 to 3'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each \$ 0.45 \$.50 \$.50 \$.40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .40 .45 .45 .40 .45 .45 .40 .40 .45 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40	Each 25	Each 3 0.25 .30 .40 .25 Each \$ 0.27 .35 .60 .80 .25 .35 .25 .30 .18 .22
macrothyrsa. Improved Billiardi. A new, brigg flowering and with better foliage. 1) 1½ to 2'\$ 2 to 3'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each \$ 0.45 \$.50 \$.50 \$.40 .4550 \$.4050 \$.4550 \$.4550 \$.65	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90 .25 .30 .40 .35 .22 .27 .50	25 Each 3 0.20 .25 .30 .40 25 Each \$ 0.27 .35 .60 .80 .20 .25 .35 .35
macrothyrsa. Improved Billiardi. A new brigg flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3' 3 to 4' salicifolia. Willowleaf Spirea. White—5' 2 to 3' 3 to 4' thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 to 5'	hter pinl Each 5 0.35 \$.40 .45 .65 1 Each \$ 0.45 \$.50 \$.50 \$.40 .4550 \$.4050 \$.4550 \$.4550 \$.65	Each 25	Each 3 0.25 .30 .40 .25 Each \$ 0.27 .35 .60 .80 .25 .35 .25 .30 .18 .22
macrothyrsa. Improved Billiardi. A new brig flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3' 3 to 4' salicifolia. Willowleaf Spirea. White—5' 2 to 3' 3 to 4' thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 to 5' 5 to 6' comentosa. Hardhack—4'	hter pind Each 5 0.35 \$.40 .45 .50 .5085405045504550455045504550455045508585	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 \$.70 .90 \$.25 .30 .40 \$.35 .22 .27 .50 .70	25 Each 30.20 .25 .30 .40 25 Each \$ 0.27 .35 .60 .80 .20 .25 .35 .25 .30 .40
macrothyrsa. Improved Billiardi. A new brigg flowering and with better foliage. 11 1½ to 2' 2 to 3' 3 to 4' 4 to 5' multiflora. Snowgarland—6' 3 to 4' 4 to 5' nipponica rotundifolia. Big Nippon Spirea— White, June. Beautful foliage—9' 4 to 5' 5 to 6' opulifolia—(See Physocarpus.) prunifolia plena. Double Bridalwreath—8' 1½ to 2' 2 to 3' 3 to 4' salicifolia. Willowleaf Spirea. White—5' 2 to 3' 3 to 4' thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 thunbergi. Early single white flowering—5' 1½ to 2' 2 to 3' 3 to 4' 4 to 5'	hter pind Each 5 0.35 \$.40 .45 .65	Each 25 0.25 \$.30 .35 .50 \$ 5 Each \$ 0.35 .40 .70 .90 .25 .30 .40 .35 .22 .27 .50	25 Each 3 0.20 .25 .30 .40 25 Each \$ 0.27 .35 .60 .80 .20 .25 .35 .35

SPIREA—Continued 1 Each 5 Each 25 trichocarpa. Korean Bridalwreath. New—5' \$ 0.30 \$ 0.22 \$ 1½ to 2' \$ 0.35 .27 .35 .27 3 to 4' .45 .35 .45 .35 4 to 5' .55 .45 .55 .45 5 to 6' .85 .70 vanhouttei. Single white flowering—10' .25 .18 .2 .20 .30 .22 .25 .18 .2 .20 .30 .22 .2 .35 .27 .4 .45 .35 .27 .4 .45 .35 .27 .4 .45 .35 .27 .4 .45 .35 .27 .4 .45 .35 .27 .30 .22 .2 .2 .2 .30 .22 .2 .2 .30 .22 .2 .2 .30 .22 .2 .2 .3 .2 .2 .2 .3 .2 .2 .2 .3
1½ to 2' \$0.30 \$0.22 \$2 to 3' \$3.5 \$27 \$3 to 4' \$4 to 5' \$5.5 \$45 \$5.70 \$25 \$45 \$5.70 \$25 \$45 \$5.70 \$25 \$45 \$35 \$27 \$3.50 \$30 \$22 \$3.50 \$4' \$35 \$35 \$27 \$4 to 5' \$35 \$35 \$27 \$35 \$27 \$35 \$35 \$35 \$35 \$35 \$35 \$35 \$35 \$35 \$35
1½ to 2′
2 to 3′ 3 to 4′
4 to 5'
5 to 6'
1½ to 2' .25 .18 2 to 3' .30 .22 3 to 4' .35 .27 4 to 5' .45 .35 STEPHANANDRA—incisa (flexuosa). Cutleaf Stephanandra—6' 2 to 3' .40 .30 SYMPHORICARPOS— albus (racemosus). Snowberry or Waxberry—6' 1½ to 2' .30 .22 2 to 3' .35 .27 3 to 4' .45 .35 chenaulti. Improved Coralberry—5' .45 .35 1½ to 2' (\$120.00 per 1000) .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .45 .35 mollis. Spreading Snowberry—6' .35 .27 3 to 4' .35 .27 3 to 4' .35 .27
1½ to 2' .25 .18 2 to 3' .30 .22 3 to 4' .35 .27 4 to 5' .45 .35 STEPHANANDRA—incisa (flexuosa). Cutleaf Stephanandra—6' 2 to 3' .40 .30 SYMPHORICARPOS— albus (racemosus). Snowberry or Waxberry—6' 1½ to 2' .30 .22 2 to 3' .35 .27 3 to 4' .45 .35 chenaulti. Improved Coralberry—5' .45 .35 chenaulti. Improved Coralberry—5' .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .45 .35 mollis. Spreading Snowberry—6' .35 .27 3 to 4' .35 .27 3 to 4' .35 .27
1½ to 2' .25 .18 2 to 3' .30 .22 3 to 4' .35 .27 4 to 5' .45 .35 STEPHANANDRA—incisa (flexuosa). Cutleaf Stephanandra—6' 2 to 3' .40 .30 SYMPHORICARPOS— albus (racemosus). Snowberry or Waxberry—6' 1½ to 2' .30 .22 2 to 3' .35 .27 3 to 4' .45 .35 chenaulti. Improved Coralberry—5' .45 .35 1½ to 2' (\$120.00 per 1000) .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .45 .35 mollis. Spreading Snowberry—6' .35 .27 3 to 4' .35 .27 3 to 4' .35 .27
3 to 4' 4 to 5' .35 .35 STEPHANANDRA—incisa (flexuosa). Cutleaf Stephanandra—6' 2 to 3' .30 SYMPHORICARPOS— albus (racemosus). Snowberry or Waxberry—6' 1½ to 2' .30 .32 2 to 3' .35 .27 3 to 4' .35 chenaulti. Improved Coralberry—5' 1½ to 2' (\$120.00 per 1000) .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .35 mollis. Spreading Snowberry—6' 2 to 3' .35 .27 3 to 4' .35 .35
3 to 4' 4 to 5' .35 .35 STEPHANANDRA—incisa (flexuosa). Cutleaf Stephanandra—6' 2 to 3' .30 SYMPHORICARPOS— albus (racemosus). Snowberry or Waxberry—6' 1½ to 2' .30 .32 2 to 3' .35 .27 3 to 4' .35 chenaulti. Improved Coralberry—5' 1½ to 2' (\$120.00 per 1000) .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .35 mollis. Spreading Snowberry—6' 2 to 3' .35 .27 3 to 4' .35 .35
STEPHANANDRA—incisa (flexuosa). Cutleaf Stephanandra—6' 2 to 3' .40 .30 SYMPHORICARPOS— albus (racemosus). Snowberry or Waxberry—6' 1½ to 2' .30 .22 2 to 3' .35 .27 3 to 4' .45 .35 chenaulti. Improved Coralberry—5' .30 .22 2 to 3' (\$150.00 per 1000) .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .45 .35 mollis. Spreading Snowberry—6' .35 .27 3 to 4' .35 .27 3 to 4' .35 .35
2 to 3'
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
albus (racemosus). Snowberry or Waxberry—6' 1½ to 2'
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 3'
3 to 4'
chenaulti. Improved Coralberry—5' 1½ to 2' (\$120.00 per 1000)30 .22 2 to 3' (\$150.00 per 1000)35 .27 3 to 4' (\$220.00 per 1000)45 .35 mollis. Spreading Snowberry—6' 2 to 3'35 .27 3 to 4'35
1½ to 2' (\$120.00 per 1000) .30 .22 2 to 3' (\$150.00 per 1000) .35 .27 3 to 4' (\$220.00 per 1000) .45 .35 mollis. Spreading Snowberry—6' 2 to 3' .35 .27 3 to 4' .45 .35
2 to 3' (\$150.00 per 1000)
3 to 4' (\$220.00 per 1000)45 .35 mollis. Spreading Snowberry—6' 2 to 3'35 .27 3 to 4' .45 .35
mollis. Spreading Snowberry—6' 2 to 3'
3 to 4'
3 to 4'
orbiculatus (vulgaris). Coralberry or Indian Currant-4'
$1\frac{1}{2}$ to 2'
2 to 3'35 .27
SYRINGA—Lilac
amurensis (japonica). Japanese Tree Lilac-20'
2 to 3'50 .40
3 to 4'70 .55
4 to 5'
chinensis (rothomagensis). Red flowering—10'
2 to 3'40 .30
3 to 4'50 .40
4 to 5'65 .55 chinensis saugeana, Purple Chinese Lilac—10'
chinensis saugeana. Furpie Chinese Luac-10
2 to 3'40 .30
3 to 4'50 .40 emodi. <i>Himalayan Lilac</i> —8'
emodi. Himalayan Lilac—8'
$1\frac{1}{2}$ to 2'
2 to 3'65 .50 henryi lutece. Pale violet-purple—8'
henryi lutece Pale violet-nurnle, Q'
nemy ratece. rate violet-parpie-0
2 to 3'
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 3'
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

SYRINGA—Continued palibiana. (New.) Broadleaf Korean Lilac—12'	1 Each	5 Each	25 Each
2 to 3'	\$ 0.70	\$ 0.55	\$ 0.45
3 to 4'	.85	.70	.60
4 to 5'5 to 6'.	1.10	.90	.80
5 to 6? 6 to 8'	1.50	1.30 1.75	1.15 1.60
pekinensis. Peking Lilac—15'	2.00	1.75	1.00
2 to 3'	1.00	.80	.70
persica. Persian Lilac— $10'$ $1\frac{1}{2}$ to $2'$.40	20	95
2 to 3'	45	.30 .35	.25
3 to 4'	.65	.50	.40
villosa. Late Lilac—8'			
2 to 3'	.40	.30	.25
3 to 4'	.50	.40	.35
4 to 5'	.75	.60	.50
vulgaris, Common Purple Lilac—12' 2 to 3'	.45	.35	.30
3 to 4'	55	.33	.40
4 to 5'		.85	.75
vulgaris alba. Common White Lilac-12'			
1½ to 2'	.40	.30	.25
2 to 3'	.50	.40	.35
vulgaris. Hybrids—Following Named Sorts—10'	5 0	4.0	0.5
1½ to 2'	50	.40 .55	.35 .50
2 to 3'3 to 4', only varieties *	1.00	.85	.70
*Claude Bernard. Semi-double mauve. Congo. Single red. *Descartes. Single mauve-pink. Doyen Keteleer. Double. Violet. Frau Bertha Damman. Single white. Dwarf. Gaudichaud. Deep lilac. Especially fine. *Gloire de Lorraine. Heavenly blue. Double. *hyacinthiflora Lamartine. Hyacinth-flowered Lilac. Mammoth trusses of beautiful pale pink. La Tour d'Auvergne. Double red. *Ludwig Spaeth. Single red. *Marie Legraye. Single white. Michel Buchner. Double mauve. *Mme. Abel Chatenay. Double white. Mme. C. Perier. Double white. *Mme. Lemoine. Single white. *M. Van Aerschot. Single pale mauve. Large. *President Grevy. Double blue.	c.		
TAMARIX—africana. Early, light pink—12' 2 to 3'	.35	.27 .35	.22
3 to 4' 4 to 5'	· .50	.40	.35
gallica. French Tamarix—Deep pink.			
Bluish green foliage. July—8'	95	97	.22
2 to 3'3 to 4'		.27 .35	.22 .27
4 to 5'		.40	.35
r to d	,,,,		

TAMARIX—Continued	1 Each	5 Each	25 Each
pentandra (hispida aestivalis). Fivestamen Tamar	1x-8'	A 0.07	# O 99
2 to 3'	\$ 0.35	\$ 0.27	\$ 0.22
3 to 4'		.40	.35
4 to 5'pentandra amurensis. Amur Tamarix—Deep pink.		.40	.00
Bluish green foliage. July—8'			
3 to 4'	.45	.35	.27
1 to 5'		.40	.35
4 to 5' 5 to 6'	.75	.60	.50
tetrandra (purpurea). Fourstamen Tamarix		*00	
Deep green foliage—10'			
3 to 4'	.45	.35	.27
3 to 4' 4 to 5'	.50	.40	.35
5 to 6'	.75	.60	
VACCINIUM (Hybrid). Improved Large Fruiting			
Blueberry—2 to 4'	70	55	45
8 to 12"	.70	.55 1.00	.45
12 to 18"	1.20	1.00	.85
Cabot. Low spreading bush. Early.			
Jersey. Medium tall. Largest berries. Late.			
Rancocas. Tall, shapely. Midseason.			
Rubel. Tall, shapely. Late.			
VIBURNUM—acerifolium. Mapleleaf Viburnum—5'			
2 to 3'	.75	.60	.50
3 to 4'	.85	.70	.60
americanum—(See trilobum.)			
burkwoodi. Gardenia Viburnum—4'			
12 to 18"_(10" Ball)	2.50	2.25	2.00
cassinoides, Witherod—6' $1rac{1}{2}$ to $2'$			
1½ to 2′	.45	.35	.30
2 to 3'	.55	.45	.40
dentatum. Arrowwood—12'	40	0.0	0.5
2 to 3'		.30	.25
3 to 4'		.35	.30
4 to 5'	.70	.55	.45
dilatatum. Linden Viburnum—8'		45	40
2 to 3'	.55	.45	.40
3 to 4' 4 to 5'	.80	.65	.55
4 to 5'	1.10	.95	.80
lantana. Wayfaring Tree—15' 2 to 3'	10	20	95
2 to 5'	.40	.30	.25
3 to 4'	.50	.40	.35
lentago. Sheepberry-20'	45	25	20
2 to 3'	.45	.35	.30
3 to 4'	.55	.45	.40
4 to 5' 5 to 6'	.75	.60	.50
molle. Kentucky Viburnum—10'	1.05	.90	.75
none. Remacky rournam—10	40	20	.25
2 to 3'	50	.30	
opulus. European Cranberrybush—10'	50	.40	.35
opinus. European Cranberryousn—10 $1\frac{1}{2}$ to $2'$.40	.30	.25
2 to 3'		.35	.30
3 to 4'		.50	.40
4 to 5'		.60	.50
5 to 6'		.85	.70
6 to 8'		1.40	1.25
	. 1.00	1.70	1.40

VIBURNUMContinued	1 Each	5 Each	25 Each
opulus nanum,Very dwarf—2′ 6 to 9″	# 0 F0	\$ 0.40	# O 25
9 to 12"	_\$ 0.30 ;	.55	\$ 0.35 .45
opulus sterile. Common Snowball—12'	_ ,,,	.00	.10
2 to 3'	45	.35	.28
3 to 4'	50	.40	.35
prunifolium. Blackhaw—12'			
2 to 2½'	75	.60	
2½ to 3′ 3 to 4′		.70	
pubescens. Downy Viburnum—6'	_ 1.00		
1½ to 2'	50	.40	.35
2 to 3'		.55	.45
3 to 4'		.70	
sieboldi. Siebold Viburnum—10'			
2 to 3'	45	.35	.30
3 to 4'	65	.50	
tomentosum. Doublefile Viburnum—8' 2 to 3'	45	.35	.30
3 to 4'		.45	.40
tomentosum rotundifolium. Roundleaf Doublefile	Viburnu		.10
2 to 3'		.40	.35
3 to 4'		.55	.45
trilobum (americanum). American Cranberry-bu			
1½ to 2′		.30	.25
2 to 3'		.35	.30
3 to 4'	65	.50	.40
VITEX	. 01	7	
agnuscastus latifolia (macrophylla). Big-leaf Ch	aste Shri .40	uo. .30	.25
2 years negundo incisa. <i>Cutleaf Chaste-Shrub—4</i> '	40	.00	.20
2 years	50	.40	.35
WEIGELA—Abel Carrierę. Beautiful rose color. 10'			
2 to 3'	35	.27	.22
3 to 4'		.35	.28
candida. Snow Weigela—10'			
2 to 3'		.27	.22
3 to 4'		.35	.30
5 to 6' 6 to 7'		.70 1.05	
Fya Rathke Crimson flowering—5'	_ 1.20	1.05	
Eva Rathke. Crimson flowering—5'	40	.30	.25
2 to 3'		.35	.30
3 to 4'	50	.40	.35
floribunda. Crimson Weigela—8'	40	00	25
2 to 3'		.30	.25 .30
3 to 4' 4 to 5'		.35 .45	.40
5 to 6'		.60	.50
florida rosea. Pink Weigela—8'		•••	
2 to 3'	35	.27	.22
3 to 4'	45	.35	.27
4 to 5'		.40	.35
florida rosea folius purpureis. Purple foliage—5'	40	.30	.25
1½ to 2′ 2 to 3′		.40	.35
2 to 0	00	.10	.00

WEIGELAContinued	1 Each	5 Each	25 Each
florida rosea nana variegata. Variegated-leaved	Weigela-	-5'	
1½ to 2′	_ \$ 0.40	\$ 0.30	
2 to 3'	45	.35	
3 to 4'	55	.45	
stelzneri. Stelzner Weigela—8'	F/ 05		* 0.00
2 to 3'		.27	\$ 0.22
3 to 4'	45	.35	.27
4 to 5'	50	.40	.35 .50
4 to 5' 5 to 6'vaniceki. Vanicek's Red Weigela6'	13	.00	.50
Fine new variety. Strong and symmetrical,			
prolific and colorful			
$1\frac{1}{2}$ to $2'$.35	.27	.22
2 to 3'	45	.35	.30
XANTHORHIZA simplicissima (apiifolia). Yellowi		20	0.5
3-yr. clumps	40	.30	.25
_			
Evergreens			
Lvergreens			
Prices include balling and burlapp	ing roots	i.	
ABIES—concolor. White Fir—50'	1 Each	5 Each	25 Each
2 to 3' (13" Ball)	\$ 2.25	\$ 2.00	\$ 1.75
3 to 4' (15" Ball)	3.50	3.10	2.75
5 to 6' (19" Ball) 6 to 7' (21" Ball)	6.75	6.00	5.50
6 to 7' (21" Ball)	8.50	7.75	
7 to 8' (24" Ball)	11.00	10.00	9.00
8 to 9' (26" Ball)	13.50	12.00	
9 to 10' (29" Ball)	20.00	17.50	
10 to 12' (31" Ball)	25.00	22.00	
12 to 14' (36" Ball)	35.00		
14 to 16' (39" Ball)	45.00	40.00	
16 to 18' (42" Ball)		52.50	
18 to 20' (46" Ball)	_s _ 75.00	65.00	
CHAMAECYPARIS. Retinospora.			
lawsoniana. Lawson Cypress50'			
2 to 2½' (14" Ball)	2.75	2.50	
2 to 2½′ (14″ Ball) 2½ to 3′ (15″ Ball)	3.75	3.35	
3 to 4' (16" Ball)	4.50	4.00	3.75
pisifera. Pea-Fruited Japan Cypress -Sawara Re	etinospora	25'	
2 to 2½′ (12″ Ball) 2½ to 3′ (13″ Ball)	2.00	1.75	1.50
2½ to 3′ (13″ Ball)	2.35	2.10	1.85
3 to 4' (15" Ball)	3.00	2.75	2.50
4 to 5' (16" Ball)	4.25	3.85	3.50
8 to 9' (25" Ball) 9 to 10' (27" Ball)	13.50	75.00	
9 to 10' (20" Ball)	10.50	15.00	
10 to 12' (30" Ball) 12 to 14' (34" Ball)	25.00	22.00	
pisifera aurea. Golden Pea-Fruited Japan Cypre	38.00	35.00	
Sizes and prices same as "pisifera."	33—43		
pisifera filifera. Thread-Branched Japanese Cyp	rece 19		
5 to 6' (20" Ball)	8.00	7.00	
6 to 7' (23" Ball)	11.00	7.00	
pisifera plumosa. Plume Cypress—20'	11.00		
1½ to 2' (11" Ball)	1.50	1.25	1.00
2 to 2½' (12" Ball)	1.75	1.50	1.25
	1.10	1.00	1.20

CHAMAECYPARIS—pisifera plumosa—Continued	1 Each	5 Each	25 Each
2½ to 3′ (13″ Ball)	\$ 2.25	\$ 2.00	\$ 1.75
3 to $3\frac{1}{2}$ ' (15" Ball)	3.35	3.00	2.75
6 to 7' (20" Ball)	7.75		
7 to 8' (23" Ball)	10.00	9.00	
8 to 9' (25" Ball)	13.50	12.00	1 ³
9 to 10' (27" Ball)	17.50	15.00	
pisifera plumosa aurea. Goldenplume Cypress— Sizes and prices same as "plumosa" above.	-18′		
squarrosa veitchi. Moss Retinospora—30'			
1½ to 2′ (11″ Ball)		1.25	1.00
2 to 2½' (12" Ball)	1.85	1.60	-78
JUNIPERUS—chinensis albovariegata. White-			
leaf Chinese Juniper—12' 2½ to 3' (14" Ball)	2 25	2.00	
2½ 10 5 (14" Ball)	3.35 4.50	3.00 4.00	
3 to 4' (15" Ball)	4.50 6.50	6.00	
4 to 5' (18" Ball) 6 to 7' (24" Ball)	0.50 13.50 >		
7 to 8' (26" Ball)	18.00		jed'
8 to 9' (30" Ball)	25.00		30
chinensis columnaris glauca. Silver Column			
Chinese Juniper—20' 2 to 2½' (12" Ball)	2.25	2.00	1.75
2½ to 3′ (13″ Ball)	2.25	2.50	2.25
3 to 3½′ (15″ Ball)	3.75	3.35	3.00
8 to 9' (20" Ball)	14.00	12.00	
9 to 10' (22" Ball)	17.50	15.00	
10 to 11' (24" Ball)	21.00	18.00	
11 to 12' (27" Ball)		22.00	
12 to 14' (30" Ball)	35.00	30.00	****
chinensis mascula—10'	0.05	0.00	
2 to 2½' (12" Ball)	2.25	2.00 2.50	2.25
2½ to 3′ (14″ Ball)		3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	3.00
5 to 6' (17" Ball)	6.75	6.00	
6 to 7' (18" Ball)	8.25	7.50	
7 to 8' (20" Ball)	10.00	9.00	
8 to 9' (22" Ball)	14.00	12.50	
chinensis pfitzeriana. Pfitzer Juniper—6'			
15 to 18" spread (11" Ball)	1.65	1.45	1.25
1½ to 2' spread (12" Ball)	2.15	1.90	1.75
2 to 2½' spread (13" Ball)	2.75	2.50	2.25
2½ to 3' spread (15" Ball) 3 to 3½' spread (17" Ball)	3.50	3.25	3.00
3 to 3½' spread (17" Ball)	4.50	4.00	
3½ to 4′ spread (18″ Ball)	6.00 7.75	5.50	
4 to 5' spread (20" Ball) 5 to 6' spread (23" Ball)	11.00	10.00	
6 to 7' spread (26" Ball)	18.00	10.00	
chinensis pfitzeriana compacta—6'			
15 to 18" (11" Ball)	1.65	1.45	1.25
1½ to 2' (12" Ball)	2.15	1.90	1.75
2 to 2½' (13" Ball)		2.50	2.25
chinensis sargenti. Sargent Juniper-2'			
1½ to 2' spread (12" Ball)	2.75	2.50	
2 to 2½' spread (13" Ball)	3.85	3.50	

JUNIPERUS—Continued	1 Each	5 Each	25 Each
communis hibernica. Irish Juniper—8' 1½ to 2' (10" Ball)	\$ 150	\$ 1.25	\$ 1.00
2 to 2½′ (11″ Ball)	1.75	1.50	1.25
2½ to 3′ (12″ Ball)	2.00	1.75	1.50
communis suecica. Swedish Juniper8'			
1½ to 2′ (10″ Ball)	1.50	1.25	1.00
2 to 2½' (11" Ball)	1.75	1.50	1.25
excelsa stricta. Spiny Greek Juniper—4'	2.00	1.75	
1½ to 2′ (12″ Ball) 2 to 2½′ (13″ Ball)	2.50	2.25	2.00
horizontalis. Trailing Juniper—1½'	2.00	2.20	2.00
$1\frac{1}{2}$ to 2' spread (12" Ball)	2.00	1.75	1.50
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
$2\frac{1}{2}$ to 3' spread (15" Ball)	3.25	3.00	2.75
3 to 3½' spread (17" Ball)	4.20	3.85	3.50
horizontalis douglasi. Waukegan Juniper-2'			
15 to 18" spread (11" Ball)		1.25	1.00
1½ to 2' spread (12" Ball) 2 to 2½' spread (13" Ball)		1.75 2.25	1.50 2.00
2½ to 3′ spread (15″ Ball)		3.00	2.75
-		0.00	2
horizontalis plumosa. Purple Spreading Juniper 15 to 18" spread (11" Ball)	r=3	1.15	1.00
1½ to 2' spread (12" Ball)	1.90	1.65	1.50
2 to 2½' spread (13" Ball)		2.25	2.00
2½ to 3' spread (15" Ball)		3.00	
japonica. Japanese Juniper—8'			
2 to 2½' spread (13" Ball)	2.75	2.50	
2½ to 3' spread (15" Ball)	3.50	3.25	
3 to 3½' spread (17" Ball) 3½ to 4' spread (18" Ball)	4.25	4.00	
4 to 5' spread (20" Ball)	6.00 7.75	5.50 7.00	
	1.10	1.00	
sabina. Savin Juniper—6' 15 to 18" spread (11" Ball)	1.75	1.50	
1½ to 2' spread (12" Ball)	2.00	1.75	1.50
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
$2\frac{1}{2}$ to 3' spread (15" Ball)	3.15	2.80	2.50
3 to 3½' spread (17" Ball)	4.20	3.85	3.50
sabina horizontalis. Bar Harbor Juniper-1'			
1½ to 2' spread (12" Ball)	2.00	1.75	1.50
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball) 3 to 3½' spread (17" Ball)	3.25 4.20	3.00 3.85	2.75 3.50
	4.20	5.05	5.50
scopulorum. Colorado Juniper—25' 2 to 2½' (13" Ball)	2.00	1 75	7 50
6 to 7' (18" Ball)	0.00	1.75 8.00	1.50
7 to 8' (20" Ball)	11.00	10.00	
8 to 9' (22" Ball)	18.00	14.50	
scopulorum, Chandlers Silver, New, intense blu	e18′		
2 to 2½′ (12″ Ball)	2 25	2.00	1.75
2½ to 3' (13" Ball)	3.00	2.75	
Calaba announced to the same and the same an			

Cole's evergreens are properly sheared, producing dense, symmetrical, colorful specimens.

JUNIPERUS—Continued	1 Each	5 Each	25 Each
scopulorum pyramidalis glauca. Pyramidal Colorae	to Juni		
2½ to 3′ (13″ Ball)	\$ 3.00	\$ 2.75	\$ 2.50
3 to 4' (15" Ball)	4.00	3.60	3.25
4 to 5' (16" Ball)	5.50	5.00	
squamata meyeri. Meyer Juniper-4'			
1½ to 2' (12" Ball)	2.50	2.25	2.00
2 to 2½' (13" Ball)	3.50	3.10	2.75
2½ to 3′ (15″ Ball)	4.00	3.75	
virginiana. Redcedar—25'			
2 to 2½' (12" Ball)	_ 1.85	1.60	1.35
2½ to 3′ (13″ Ball)	2.10	1.90	1.65
4 to 5' (16" Ball)	4.10	3.75	É
5 to 6' (17" Ball)	5.50	5.00	
6 to 7' (18" Ball)	7.75	7.00	tion that the sale and
7 to 8' (20" Ball)	10.00	9.00	
8 to 9' (22" Ball)	13.50	12.00	
9 to 10' (24" Ball)		16.00	
10 to 11' (26" Ball)		21.00	
11 to 12' (28" Ball)	30.00	27.00	
12 to 14' (30" Ball)	40.00	35.00	
virginiana burki (venusta). Burk Redcedar—16'			
2 to 2½' (12" Ball)	2.25	2.00	1.75
2½ to 3' (13" Ball)	3.00	2.75	Mi
3 to 3½' (15" Ball)	3.75	3.35	
virginiana cannarti. Cannart Redcedar-15'			
2 to 2½' (12" Ball)	2.25	2.00	1.75
2½ to 3′ (13″ Ball)		2.50	2.25
3 to 4' (15" Ball)		3.35	3.00
4 to 4½' (17" Ball)	5.00	4.50	
4 to 4½′ (17″ Ball) 10 to 11′ (28″ Ball)	28.00	25.00	×
11 to 12' (30" Ball)	35.00		NO. 10. 100 100 100
11 to 12' (30" Ball)virginiana elegantissima. Goldtip Redcedar—15'	00,00		
2 to 2½′ (13″ Ball)	2.25	2.00	1.75
2½ to 3′ (14″ Ball)	2.75	2.50	2110
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)		4.75	
5 to 6' (18" Ball)	7.25	6.50	
6 to 7' (20" Ball)	10.00	0.00	,
virginiana glauca. Silver Redcedar—20'	10.00		
2 to 2½' (12" Ball)	2.15	1.90	1.65
2½ to 3′ (13″ Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)		3.35	
5 to 6' (17" Ball)		6.00	
6 to 7' (18" Ball)		8.00	
7 to 8' (20" Ball)		11.00	
8 to 9' (22" Ball)	14.50	13.00	
9 to 10' (24" Ball)	10.00	17.00	
10 to 11' (24" Ball)	25.00	22.00	
11 to 12' (28" Ball)		27.50	
12 to 14' (30" Ball)		21.00	
virginiana keteleeri. Keteleer Redcedar15'	10.00		
2 to 2½' (12" Ball)	2.25	2.00	1.75
2½ to 3′ (13″ Ball)	2.20	2.50	2.25
3 to 4' (15" Ball)		3.35	3.00
4 to 5' (16" Ball)	5.50	5.00	3.00
5 to 6' (17" Ball)		6.00	
6 to 7' (18" Ball)		8.00	
7 to 8' (20" Ball)		13.00	
7 to 6 (20 Dall)	14.00	13.00	

JUNIPERUS—virginiana keteleeri—Continued	1 Each	5 Each \$17.00	25 Each
9 to 10' (24" Ball) 10 to 11' (26" Ball)		22.00	
11 to 12' (28" Ball)		27.50	
virginiana kosteri. Koster Redcedar-4'			
1½ to 2' spread (12" Ball)	_ 2.25	2.00	\$1.75 2.25
2 to 2½' spread (13" Ball)	_ 2.75 _ 3.75	3.35	3.00
3 to 3½' spread (17" Ball)	_ 4.50	4.10	3.75
3½ to 4′ spread (18″ Ball)		5.50	5.00
virginiana pyramidiformis. Dundee Juniper—18'			
2 to 2½′ (13″ Ball)	_ 2.25	2.00	1.75
2½ to 3′ (14″ Ball)	_ 2.75	2.50	2.25
virginiana schotti. Schott Redcedar—20' 2½ to 3' (13" Ball)	_ 2.75	2.50	
3 to 4' (15" Ball)		3.35	3.00
, , , , , , , , , , , , , , , , , , , ,			
PICEA—canadensis albertiana. Black Hills Spruce—	-50′		
5 to 6' (19" Ball)	_ 7.25	6.50	
6 to 7' (21" Ball) 7 to 8' (24" Ball)	_ 9.00	8.00 10.00	
8 to 9' (27" Ball)		13.00	
9 to 10' (29" Ball)	_ 19.00	17.00	
10 to 12' (32" Ball)	_ 25.00	22.50	
excelsa. Norway Spruce—80'			
1½ to 2′ (12″ Ball)	_ 1.50	1.25	1.00
2 to 2½' (13" Ball)	$\begin{array}{cc} & 1.75 \\ & 2.00 \end{array}$	1.50 1.75	1.25 1.50
3 to 3½' (17" Ball)	$\frac{2.00}{2.50}$	2.25	2.00
7 to 8' (23" Ball)	10.00	9.00	2.00
8 to 9' (26" Ball)	13.50	12.00	
9 to 10' (28" Ball)	_ 19.00	17.00	
excelsa maxwelli. Maxwell Spruce—3'	5 00	4.50	
1½ to 2′ (13″ Ball)	_ 5.00	4.50	
excelsa pygmea. Pygmy Norway Spruce8' 1½ to 2' (13" Ball)	_ 4.50	4.00	
2 to $2\frac{1}{2}$ ' (15" Ball)	5.50	1.00	
2½ to 3′ (16″ Ball) 3 to 3½′ (18″ Ball)	7.25		
3 to 3½′ (18" Ball)	9.25		
3½ to 4′ (20″ Ball)	_ 12.50		
polita. <i>Tigertail Spruce</i> —70′ 2 to 2½′ (13″ Ball)	_ 2.50	0.05	9.00
2½ to 3′ (14″ Ball)	_ 2.50	$\frac{2.25}{2.75}$	2.00 2.50
3 to 3½′ (15" Ball)	4.00	3.65	2.00
3½ to 4′ (17" Ball)	5.50	5.00	
4 to $4\frac{1}{2}$ ' (19" Ball)	7.25	6.50	
pungens. Colorado Green Spruce—60'	0.00		
6 to 8' (24" Ball) 8 to 9' (27" Ball)		8.25 11.00	7.50
9 to 10' (29" Ball)	17.00	15.50	$10.00 \\ 14.00$
10 to 12' (32" Ball)	24.00	22.00	14.00
12 to 14' (36" Ball)	34.00	30.00	
14 to 16' (40" Ball)	45.00	40.00	

(Ball sizes are only approximate)

PICEA—Continued	1 Each	5 Each	25 Each
pungens glauca. Colorado Blue Spruce-60'			
6 to 7' (21" Ball)	\$10.00	\$ 9.00	
7 to 8' (24" Ball)		11.00	\$10.00
8 to 9' (27" Ball)		16.50	15.00
9 to 10′ (29″ Ball)	24.00	22.00	20.00
10 to 12' (32" Ball)		30.00	27.50
12 to 14' (36" Ball)		40.00	
14 to 16' (40" Ball)	55.00	50.00	
16 to 18' (44" Ball) pungens glauca kosteri. Koster's Blue Spruce	70.00	65.00	
pungens glauca Kosteri. Koster's Blue Spruce	—55	F 50	F 00
3 to 3½' (15" Ball)		5.50	5.00
3½ to 4′ (16″ Ball)		6.50	6.00
4 to 5' (17" Ball)		8.25	7.50
5 to 6' (19" Ball)	11.00	10.00	9.00
6 to 7' (21" Ball)		14.00	12.50
7 to 8' (24" Ball)		20.00	
8 to 9' (26" Ball)	27.50	25.00	
9 to 10' (29" Ball)	36.00	32.50	
10 to 11' (31" Ball)			
11 to 12' (33" Ball)			
12 to 13' (35" Ball)	70.00		
PINUS—cembra. Swiss Stone Pine—50'			
5 to 6' (19" Ball)	13.50		
6 to 7' (21" Ball)			
flexilis. Limber Pine—80'	17.00		
8 to 10' (28" Ball)	20.00	18.50	17.00
0 10 10 (20° Dall)	26.00		17.00
10 to 12' (32" Ball)		24.00	22.00
12 to 14' (36" Ball)	45.00	32.00	30.00
14 to 16' (40" Ball)	45.00	40.00	
montana mughus. Dwarf Mountain Pine—3'	1.05	1.60	1.25
12 to 15" spread (10" Ball) 15 to 18" spread (11" Ball)	1.85	1.60	1.35
15 to 18" spread (11" Ball)	2.40	2.15	1.90
1½ to 2' spread (12" Ball)	3.00	2.75	
resinosa. Red Pine—50'	0.00	3 75	7.50
2 to 3' (13" Ball)		1.75	1.50
3 to 4' (15" Ball)		2.75	2.50
4 to 5' (17" Ball)	4.00	3.75	3.50
strobus. White Pine—80'	25.00		
10 to 12' (31" Ball)			
12 to 14' (35" Ball)		30.00	
14 to 16' (39" Ball)	45.00	40.00	
16 to 18' (42" Ball)	65.00	60.00	
sylvestris. Scotch Pine—45'			
3 to 4' (15" Ball)		2.50	2.25
4 to 5' (16" Ball)	3.75	3.35	3.00
5 to 6 (18" Ball)	5.50	5.00	4.50
PSEUDOTSUGA—taxifolia. Douglas Fir—70'			
2 to 3' (13" Ball)	2.25	2.00	1.75
3 to 4' (15" Ball)		2.75	2.50
4 to 5' (16" Ball)		3.85	3.50
5 to 6' (18" Ball)		5.50	5.50
		0.00	
		6.50	
6 to 7' (20" Ball)	7.25	6.50 7.75	7.00
	7.25 8.50	6.50 7.75 10.00	7.00

Customers are usually pleasantly surprised to find that their plants are stronger than they expected.

PSEUDOTSUGA-taxifolia-Continued	1 Each	5 Each	25 Each
9 to 10' (27" Ball)	\$15.50	\$14.00	\$12.50
10 to 12' (30" Ball)	22.00	19.00	17.50
12 to 14' (33" Ball)	30.00	27.50	
14 to 16' (36" Ball)	38.00	35.00	
16 to 18' (40" Ball)	50.00	45.00	
18 to 20' (44" Ball)	65.00	60.00	

COLE'S EVERGREENS are dense and shapely, they are root pruned, and they are properly spaced to give light and air on all sides. We will be happy to have you visit us and inspect our plants.

TAXUS—cuspidata. Japanese Yew—6'	1 Each	5 Each	25 Each
12 to 15" spread (10" Ball)		\$ 1.60	\$ 1.35
15 to 18" spread (11" Ball)		2.00	1.75
$1\frac{1}{2}$ to 2' spread (12" Ball)		8	
2 to 2½' spread (13" Ball)			
2½ to 3' spread (15" Ball)	_ 5.50	5.00	
3 to 3½' spread (16" Ball)	7.25	6.50	
3½ to 4' spread (17" Ball)	_ 9.00	8.00	
4 to 4½' spread (19" Ball)	_ 11.00	10.00	
4½ to 5' spread (21" Ball)	_ 15.50	14.00	
5 to 5½' spread (23" Ball)			
cuspidata capitata. Upright Japanese Yew-8'			
1½ to 2' (12" Ball)	2.25	2.00	1.75
2 to 2½' (13" Ball)		2.75	2.50
2½ to 3′ (14″ Ball)		3.85	3.50
3 to 3½' (15" Ball)		5.00	4.50
4½ to 5' (18" Ball)		10.00	
5 to 5½' (19" Ball)		13.00	
5½ to 6' (20" Ball)	10.00	17.00	
6 to 7' (22" Ball)		22.00	
8 to 9' (26" Ball)		32.00	
cuspidata nana (brevifolia)—Dwarf Japanese Ye		32.00	
Cuspidata nana (previtoria)—Dwarj Japanese Ye	1.00	1.55	1 20
9 to 12" (9" Ball)	_ 1.80	1.55	1.30
12 to 15" (10" Ball) 15 to 18" (11" Ball)		2.00	1.75
		2.50	2.25
1½ to 2′ (12″ Ball)		3.75	
2 to $2\frac{1}{2}$ ' (14" Ball)	6.00		
media hicksi. Hicks Yew-10'			
15 to 18" (10" Ball)	_ 2.00	1.75	1.50
1½ to 2' (11" Ball)	2.50	2.25	2.00
2 to 2½' (12" Ball)	_ 3.90	3.50	
THUJA occidentalis. American Arbor-vitae—25'			
2 to 3' (12" Ball)	1.75	1.50	1.25
5 to 6' (16" Ball)		3.85	3.50
6 to 7' (18" Ball)		4.50	4.00
7 to 8' (20 Ball)		5.75	5.25
8 to 10' (22" Ball)	10.00	9.00	8.00
10 to 12' (25" Ball)		13.50	12.00
12 to 14' (29" Ball)		22.00	20.00
14 to 16' (33" Ball)		27.50	20.00
	_ 50.00	21.00	

Cole's evergreens are properly sheared, producing dense, symmetrical, colorful specimens.

	-,		7,3
THUJA—Continued occidentalis Columbia. Columbia Arbor-vitae—8'	1 Each	5 Each	25 Each
2 to 3' (12" Ball) 3 to 4' (14" Ball)	\$ 2.00 2.75	\$ 1.75 2.50	\$ 1.50 2.25
occidentalis elegantissima. Goldtip Arbor-vitae-2	201		
2 to $2\frac{1}{2}$ ' (12" Ball)	2.00	1.75	
7 to 8' (21" Ball)	8.00	7.25	
8 to 10' (23" Ball) 10 to 12' (27" Ball)	10.50	9.50	8.50
	15.50	14.00	12.50
occidentalis globosa. Globe Arbor-vitae—4'			
12 to 15" (10" Ball)	1.15	.90	.75
15 to 18" (11" Ball)	1.50	1.25	1.00
1½ to 2′ (12″ Ball)	. 1.90	1.65	1.40
occidentalis hoveyi. Hovey Arbor-vitae—6'	7.00	7 ("	7.40
$1\frac{1}{2}$ to 2' (12" Ball)	1.90	1.65	1.40
occidentalis lutea. George Peabody Golden Arbor	-vitae—1		
2½ to 3′ (13″ Ball)	2.10	1.85	1.65
6 to 8' (21" Ball)	. 8.00	7.25	6.50
8 to 10' (24" Ball) 10 to 11' (25" Ball)	14.00	9.50 12.50	8.50
		12.00	
occidentalis nigra. Dark green dense American ty 2 to 3' (12" Ball)	2.00	1.75	1.50
3 to 4' (12" Ball)	2.75	2.50	2.25
occidentalis plicata. Moss Arbor-vitae—15'	2110	2.00	2.20
2 to 2½' (11" Ball)	1.85	1.60	1.35
2½ to 3′ (12″ Ball)	2.25	2.00	1.75
3 to 4' (13" Ball)		2.50	2.25
4 to 5' (15" Ball)	4.00	3.60	3.25
occidentalis pyramidalis. Pyramidal Arbor-vitae-	-25′		
1½ to 2′ (10″ Ball)	1.50	1.25	1.00
2 to 2½' (11" Ball)	1.75	1.50	1.25
2½ to 3′ (12″ Ball)	2.10	1.85	1.65
3 to 3½′ (13″ Ball)	2.75	2.50	2.25
7 to 8' (19" Ball)	. 8.25	7.50	
8 to 9' (20" Ball) 9 to 10' (22" Ball)	11.00	10.00 12.50	
		12.00	
occidentalis umbraculifera. Umbrella Arbor-vitae-			7 70
1½ to 2′ (12″ Ball)		1.75	1.50
2 to 2½′ (13″ Ball) 2½ to 3′ (15″ Ball)		2.00 2.75	1.75 2.50
· · · · · · · · · · · · · · · · · · ·		2,10	2.00
occidentalis vervaeneana. Vervaene Arbor-vitae—		4.00	
4 to 5' (15" Ball)	4.50	4.00	
5 to 6' (17" Ball) 6 to 8' (21" Ball)	. 5.50 . 7.25	5.00 6.50	M
8 to 10' (24" Ball)	10.50	9.50	8.50
10 to 12' (28" [Ball])	14.00	12.50	

ROSES

We add a number of thoroughly tested Roses to our collection each year and eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs. (See pages 50 to 54.)

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis wareana. Ware or Siberian Arbor-vii	tae—12'		
1½ to 2′ (11″ Ball)	\$ 1.60	\$ 1.35	\$ 1.10
2 to 2½' (12" Ball)	_ 2.00	1.75	1.50
2½ to 3′ (14″ Ball)	2.65	2.40	
occidentalis woodwardi. Woodward Globe Arbor	vitae-4		
12 to 15" (10" Ball)	_ 1.15	.90	.75
15 to 18" (11" Ball)	_ 1.50	1.25	1.00
1½ to 2′ (12″ Ball)		1.65	1.40
orientalis. Oriental Arbor-vitae—20'			
2 to $2\frac{1}{2}$ ' (11" Ball)	_ 1.50	1.25	1.00
2½ to 3′ (12″ Ball)	_ 1.90	1.65	1.40
5 to 6' (16" Ball)	_ 5.00	4.50	
6 to 7' (17" Ball)	_ 6.00	5.50	
7 to 8' (19" Ball)	_ 7.75	7.00	
8 to 9' (21" Ball)	$_{-}$ 10.00	9.00	
orientalis aurea. Golden Oriental Arbor-vitae, H	ardy Typ	e8'	
2 to 2½' (11" Ball)	_ 2.00	1.50	1.25
2½ to 3′ (12″ Ball)	_ 2.25	2.00	1.75
4 to 5' (15" Ball)	_ 5.00	4.50	4.00
5 to 6' (16" Ball)	_ 6.00	5.50	5.00
6 to 7' (18" Ball) 7 to 8' (20" Ball)	_ 8.25	7.50	
7 to 8' (20" Ball)	_ 10.00		
orientalis aurea nana. Berckman's Golden Arbor-			
15 to 18" (11" Ball)	_ 2.00	1.75	
TOLICA 1 . II I I C			
TSUGA—canadensis. <i>Hemlock Spruce</i> —75' 2 to 2½' (12" Ball)	0.05	0.00	3 77
2 to 2½ (12" Dall)	_ 2.25	2.00	1.75
2½ to 3′ (13″ Ball) 3 to 3½′ (14″ Ball)	_ 2.75	2.50	2.25
3½ to 4′ (15″ Ball)	_ 3.25	3.00	2.75
$4 \text{ to } 4\frac{1}{2}' \text{ (16" Ball)}$	_ 4,25	3.85 4.50	3.50 4.00
4½ to 5′ (17" Ball)	_ 5.00	5.00	4.50
5 to 6' (18" Ball)	0.00 6.50	6.00	5.50
		7.75	7.00
6 to 7' (20" Ball) 7 to 8' (23" Ball)	10.50	9.50	
8 to 9' (25" Ball)	14.00	12.50	
9 to 10' (28" Ball)	19.00	16.00	
10 to 11' (30" Ball)	22.00	20.00	
11 to 12' (32" Ball)	27.50	25.00	
12 to 14' (35" Ball)	26.00 36.00	32.50	
14 to 16' (40" Ball)	47.50	42.50	
caroliniana. Carolina Hemlock—50'	71.50	42.00	
2 to 2½' (13" Ball)	2.50	2.25	2.00
2½ to 3' (14" Ball)	_ 3.25	3.00	2.00
3 to 3½' (15" Ball)	4.25	3.85	3.50
3½ to 4′ (16″ Ball)	5.00	4.50	4.00
4 to 5' (17" Ball)	6.00	5.50	5.00
5 to 6' (19" Ball)	_ 8.25	7.50	3.00
6 to 7' (21" Ball)	11.00	10.00	
7 to 8' (24" Ball)	14.50	13.00	
8 to 9' (26" Ball)	19.00	17.00	
9 to 10' (29" Ball)	26.00	23.00	
10 to 11' (32" Ball)	34.00	30.00	
sieboldi, Siebold Hemlock—35'		50.00	
1½ to 2′	3.00	2.75	2.50
2 to 2½'	3.75	3.35	3.00
2½ to 3′	_ 4.50	4.10	0.00
	_ 1.00	7.10	

Evergreen Shrubs

ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12"	1 Each	5 Each	25 Each
1½ to 2' spread (12" Ball)	\$ 1.60	\$ 1.35	\$ 1.10
DAPHNE—cneorum. Garland Flower—18"			
6 to 9" (7" Ball)	60	.50	.40
9 to 12" (8" Ball)		.60	.50
12 to 15" (9" Ball)	90	.75	.65
15 to 18" (10" Ball)	1.25	1.00	.90
EUONYMUS—For other EUONYMUS see "Deciduo fortunei argenteo-marginatus (Variegated) Silveredge Wintercreeper—2'	ous Shrul	os."	
19 to 15"	.35	.27	.22
12 to 15" 15 to 18"	.45	.35	.30
1½ to 2′	.65	.50	
fortunei carrierei. Glossy Wintercreeper—3'		•••	
9 to 12"	35	.25	.20
12 to 15"	.40	.30	.25
12 to 15" 15 to 18"	45	.35	.30
1½ to 2′	.65	.50	.40
2 to 2½′		.65	.55
fortunei coloratus. Red-leaved Wintercreeper-4'			
12 to 15"	35	.25	.20
15 to 18"		.30	.25
1½ to 2′		.40	.35
2 to 2½'	.70	.55	.45
2½ to 3′		.70	.60
3 to 4'		.80	.70
fortunei radicans. Wintercreeper-Trailing-2'			
9 to 12"	.30	.23	.18
12 to 15"	.35	.27	.22
15 to 18"	.45	.35	.30
1½ to 2′	.65	.50	.40
fortunei radicans acutus. Sharpleaf Wintercreep			
12 to 15"	35	.25	.20
15 to 18"	40	.30	.25
15 to 18"	50	.40	.35
2 to 21/2'	70	.55	.45
fortunei radicans erecta. Upright Wintercreeper-	–3′		
12 to 15"	55	.25	.20
15 to 18"	45	.35	.30
1½ to 2′	.65	.50	.40
2 to 21/3'	80	.65	.55
fortunei kewensis. Prostrate Baby Wintercreeper- 2½" Pot Plants	6" 45	.35	.30
fortunei vegetus, Bigleaf Wintercreeper-4'		٥٣	20
9 to 12"	45	.35	.30
12 to 15" 15 to 18"	55	.45	.40
15 to 18"	70	.60	.50
1½ to 2′	90	.75	.65
kiautschovicus patens. Spreading Euonymus-6'		.45	.40
12 to 18"		.45 .55	.50
1½ to 2′		.55 .85	.75
2 to 2½'	1.00	.03	.13

	l Each	5 Each	25 Each
ILEX—crenata convexa (bullata). Box-leaved Japanese	Holly-	_4'	A 7.05
12 to 15" (10" Ball)	1.85	\$ 1.60	\$ 1.35
15 to 18" (11" Ball) 2 to 2½' (14" Ball)	2.35	2.00	1.75
2 to 2½' (14" Ball)	4.50	4.00	
crenata latifolia. Bigleaf Japanese Holly	1.05	7.05	
12 to 15" (10" Ball)	1.25	1.05	
1½ to 2′ (12″ Ball)	2.00	1.75	
2 to 2½' (13" Ball)	2.75	2.50	
crenata microphylla. Littleleaf Japanese Holly—5'			
(Hardier than the type.)	1 25	1.05	00
9 to 12" (9" Ball)crenata rotundifolia. Roundleaf Japanese Holly—8	, 1.25	1.05	.90
crenata rotundifolia. Rounaleaj Japanese Houy—o			
(Hardier than the type.)	1.25	1.05	.90
12 to 15" (10" Ball)	1.23	1.05	.90
glabra. Inkberry—5' 12 to 15" (10" Ball)	1.60	1.35	1.10
12 to 15 (10 Dall)	2.00	1.75	1.50
15 to 18" (11" Ball) 1½ to 2' (12" Ball)	$\frac{2.00}{2.50}$	2.25	2.00
2 to 2½' (13" Ball)	3.30	3.00	2.75
2 to 2½ (13" Ball)	3.30	3.00	2.15
LEUCOTHOE—Catesbaei. Drooping Leucothoe—6'			
15 to 18" (11" Ball)	1.75	1.50	1.25
1½ to 2' (12" Ball)	2.10	1.85	1.60
2 to 2½' (13" Ball)	2.75	2.50	
· · · · · · · · · · · · · · · · · · ·			
MAHONIA—aquifolium. Oregon Hollygrape—5'			
12 to 15" (10" Ball)	1.10	.90	.75
15 to 18" (11" Ball)	1.50	1.25	1.00
1½ to 2′ (12″ Ball)	2.00	1.75	1.50
PACHYSANDRA—terminalis. Japanese Spurge—			
Evergreen ground cover—10"			
2 years (\$70.00 per 1000)	.15	.10	.08
2 years (\$70.00 per 1000)	.13	.10	.00
PIERIS-floribunda. (Andromeda floribunda).			
Mountain Andromeda—3'			
1½ to 2' (12" Ball)	3.10	2.75	
2 to 2½′ (13″ Ball)	3.60	3.25	
iaponica. Japanese Andromeda—4'			
1½ to 2′ (12″ Ball)	2.75	2.50	
2 to 2½' (13" Ball)	3.35	3.00	2.75
RHODODENDRON carolinianum. Carolina Rhododen			
12 to 18" (11" Ball)	2.25	2.00	
1½ to 2' (12" Ball)	2.75	2.50	
2 to 2½′ (13″ Ball)	3.35	3.00	
2½ to 3′ (14″ Ball)	4.00	3.60	
catawbiense. Lavender Pink—6'			
12 to 18" (11" Ball)	2.00	1.75	1.50
1½ to 2' (12" Ball)	2.50	2.25	2.00
2 to 3' (13" Ball)	3.25	2.85	
maximum. Rosebay Rhododendron—8'			
12 to 18" (11" Ball)	1.75	1.50	1.25
1½ to 2' (12" Ball)	2.10	1.85	1.60
2 to 3' (13" Ball)	2.60	2.35	2.10
3 to 4' (15" Ball)	3.75	3.35	3.00

Cole's evergreens are frequently transplanted or root pruned—a necessity for success.

Vines

ACTINIDIA—arguta. Bower Actinidia	1 Each	5 Each	25 Each
2 years	\$ 0.35 	\$ 0.30	\$ 0.25 .30
AKEBIA—quinata. Fiveleaf Akebia	()()	.00	.50
3 years	35	.30	.25
AMPELOPSIS—(See Parthenocissus)	00	.00	٠٤٠
CAMPSIS (Bignonia) grandiflora. Chinese Trumpetch	reeper		
3 years	.70	.55	.45
radicans. Trumpetcreeper			
2 years (\$120.00 per 1000)		.20	.15
3 years (\$150.00 per 1000)	35	.25	.18
CELASTRUS—orbiculatus. Oriental Bittersweet			
2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000)	35	.25	.20
3 years (\$220.00 per 1000)	40	.30	.25
scandens. American Bittersweet	35	.25	90
2 years (\$180.00 per 1000) 3 years (\$220.00 per 1000)	40	.30	.20 .25
	TO	.00	040
CLEMATIS—paniculata. Sweet Autumn Clematis	.40	.30	O.F.
2 yearshybrid Crimson King. New mammoth vinous red.	.40	.50	.25
June to September	.75	.65	.55
hybrid Edouard Andre. Single bright red	55	.45	.40
hybrid henryi. Single white	55	.45	.40
hybrid jackmani. Single purple	.55	.45	.40
HEDERA—helix—English Ivy			
2 years	45	.35	.30
2 years helix gracilis. Small-leaved English Ivy			
2 years	45	.35	.30
HYDRANGEA—petiolaris. Climbing Hydrangea			
2 years	.65	.50	.40
· ·		7.1 -	
LONICERA—japonica aureoreticulata. Yellow Net I	10neysuci .40	.30	.25
japonica halliana. Hall Japanese Honeysuckle	TU	.50	.20
2 years (\$100.00 per 1000)	20	.15	.12
3 yearsheckrotti. Everblooming Honeysuckle	25	.20	.16
heckrotti. Everblooming Honeysuckle			
2 years	40	.30	.25
C-119 H 11- (T1- M1) Fl			
Goldflame Honeysuckle. (Trade Mark). Flame coral trumpets lined with gold. Blooms abur	ᡛ• n-		
dantly from May until frost			
2 years (25c each in 250 lots)	55	.45	.40
sempervirens. Scarlet Trumpet Honeysuckle			
2 yearstellmanniana. Tellman Honeysuckle	30	.23	.18
tellmanniana. Tellman Honeysuckle	55	.45	.40
2 years	55	.45	.40
LYCIUM—chinense. Chinese Matrimonyvine	0.7	0.77	60
2 years		.27 .35	.22 .27
3 years	45	.55	.21

	1 Each	5 Each	25 Each
PARTHENOCISSUS (Ampelopsis)—heterophylla.	Porcelain	Ampelop	sis
2 years	\$ 0.35%	\$ 0.30	\$ 0.25
3 yearshet. amurensis maximowiczi, 2 years	45	.35	.30
het. amurensis maximowiczi, 2 years	.50	.40	.35
quinquefolia. Virginia Creeper	0.0	20	7
2 years	30	.20	.15
tricuspidata (veitchi). Boston Ivy	20	90	15
2 years, medium	30	.20	.15
2 years		.25	.20
3 years	.40	.30	.25
tricuspidata lowi. <i>Geranium Ivy</i> Pot Plants	.50	.40	25
Pot PlantsPOLYGONUM—auberti. China Fleecevine	.50	.40	.35
2 works	45	.35	.30
2 yearsSCHIZOPHRAGMA—hydrangeoides. Japanese Hyd	43	.55	.50
2 was 2	65	.50	.40
2 years VINCA—minor. Periwinkle or Myrtle	03	.50	.40
Strong plants	15	.10	.07
minor allos Strong plants	25	.15	.10
rubro fl. CASCADE OF RUBIES	40	.10	•10
minor alba. Strong plants rubra flpl.—CASCADE OF RUBIES Fine pot plants (\$1.50 per 5; \$6.35 per 2	25 •		
\$22.50 per 100; \$200.00 per 1000)	,		
VITIS—rotundifolia. Muscadine Grape			
3 years	.45	.35	.30
vulpina (cordifolia). Frost or Winter Grape	40	.00	.50
	.45	.35	.30
WISTARIA—floribunda rosea. Rosy Weeping Wista	ria .40	.00	.50
2 years	75	.60	.50
frutescens magnifica. Yelloweye Wistaria—Blue		.00	.00
3 years	45	.35	.30
sinensis. Chinese Purple Wistaria	•10	.00	•00
2 years (Grafted)	.45	.35	.30
2 years (Grafted) 4 years (Grafted)	85	.70	.60
sinensis alba. Chinese White Wistaria	,00		*00
4 years (Grafted)	.80	.70	.60
, , , , , , , , , , , , , , , , , , , ,			.00
Climbing and Ramble	or R	2606	
Chillioning and Ivanilon			
Climbing American Deputs I americal	1 Each	5 Each	25 Each
Climbing American Beauty. Large pink		\$ 0.40	\$ 0.35
Doctor W. Van Fleet. Double flesh-pink	50	.40	.35
Jacotte. Coppery yellow tinted coppery red	.50	.40	.35
Max Graf. Trailing Rugosa. Large waxy single pi flowers. Glossy foliage	ink	40	25
		.40	.35
Pauls Scarlet Climber Prosperity. "Everblooming." White flushed pink	45	.35	.30
Reveil Dijonnais. Light yellow edged carmine, crims	.50	.40	.35
and scarlet	son 55	45	40
		.45	.40
PATENTED RAMBLER RO			
DIATE No. Full Discrete	1 Each	10 Each	20 Each
BLAZE. New Everblooming Pauls Scarlet. Pla	ant		
Patent No. 10.	A 0.00	A 0 mg	
(Retails \$1.00 each; \$10.00 per dozen)	\$ 0.80	\$ 0.70	
DOUBLOONS. Plant Patent No. 152. (Retails \$1	.00		
each; \$10.00 per dozen). Double cupped, rich go	old .70	.55	\$ 0.50
FLASH. Plant Patent No. 396. (Retails \$1.00 each	en;		
\$10.00 per dozen). Everblooming. Luminous oran	ge-	60	
scarlet	.80	.70	

THE NEW DAWN. Plant Patent No. 1. (Retain \$1.50 each; \$15.00 per dozen). New Everbloomin	ls	10 Each	20 Each
Dr. Van Fleet	\$ 1.00	\$ 0.85	
HYBRID RUGOSA	1 Each	5 Each	25 Each
HYBRID RUGOSA Grootendorst Supreme. (New.) Crimson	\$ 0.55	\$ 0.45	\$ 0.40
Max Graf. See Ramblers Pink Grootendorst. Double pink	55	.45	.40
Rosa Rugosa. See Rose Species. Sir Thos. Lipton, Snowy white	55	.45	.40
AUSTRIAN BRIER Persian Yellow	.55	.45	.40
Rose Species	;		
ROSA—blanda. <i>Meadow Rose—4'</i> 1 ½ to 2'	1 Each	5 Each	25 Each
1½ to 2′	\$ 0.35	\$ 0.25	\$ 0.20
2 to 3'	45	.35	.30
canina. <i>Dogbrier</i> —8' 3 to 4'	45	25	07
3 to 4'cinnamon Rose—5'	45	.35	.27
	65	.50	.40
2 years hugonis. Golden Rose of China—6' 1½ to 2' humilis. Pasture Rose—5' 2 to 3'	\$.50	.40	.35
2 to 3'lucida. Virginia Rose. Light pink flowers—6'	45	.35	.30
lucida. Virginia Rose. Light pink flowers—6'	35	.25	.20
2 10 5	45	.35	.30
multiflora japonica. Japanese Rose. Single rose-			
pink—8' 2 to 3'	35	.27	.22
3 to 4'		.35	.27
4 to 5'	.50	.40	.35
palustris. (Carolina). Swamp Rose—5'			
1½ to 2′	35	.25	.20
2 to 3'rubiginosa. Sweetbrier—6'	45	.35	.30
rubiginosa. Sweetbrier—6' $1\frac{1}{2}$ to $2'$	40	.30	.25
2 to 3'	45	.35	.30
3 to 4'	50	.40	.35
rugosa. <i>Rugosa Rose</i> :—5' 1½ to 2'			
1½ to 2′	40	.30	.25
2 to 3'setigera. Prairie Rose. Deep pink—6'	50	.40	.35
2 to 3'	🦥 .35	.27	.22
3 to 4'	,45	.35	.27
4 to 5'	50	.40	.35
wichuraiana. <i>Memorial Rose</i> . Trailing 2 years, No. 1	45	.35	.30
2 years, No. 1	40	.00	.50
Rose — Hybrid	Tea		
Prices are for strong, 2-year, No. 1 grade. 2-year, No. 30%. Patented varieties in No. 1 g.	rade only.		
Ami Quinard, Crimson on maroon	I Each	5 Each \$ 0.35	25 Each \$ 0.30
Autumn. Burnt orange and red	\$ 0.43 45	.35	.30
Autumn. Burnt orange and redBetty Uprichard. Salmon-pink	.45	.35	.30

ROSE, Hybrid Tea—Continued	1 Each	5 Each	25 Each
Condesa de Sastago. Copper and yellow	\$ 0.45	\$ 0.35	\$ 0.30
Director Rubio. Rose-pink; large	.45	.35	.30
Duquesa de Penaranda. Rich coppery apricot. Autumn			
flowers beautiful cinnamon-peach	.50	.40	.35
Edith Nellie Perkins. Rich salmon-pink	.45	.35	.30
Editor McFarland. New brilliant pink	.45	.35	.30
Etoile de Hollande. Velvety crimson	.45	.35	.30
Federico Casas. Coppery pink and orange	.50	.40	.35
Golden Sastago. Clear buttercup-yellow. Deliciously			
fragrant. (Retails \$1.00 each; \$10.00 per dozen)	.50	.40	.35
Joanna Hill. Indian-yellow center, surrounded by bold		• • • •	.00
	.50	.40	.35
cream petals Joyous Cavalier. Large double, unfading red	.50	.40	.35
K. A. Viktoria. Pure white. Double	.50	.40	.35
Leonard Barron. Mammoth salmon-rose with amber	.00	.10	.00
glow	.50	.40	.35
Margaret McGredy. Brilliant red petals on hinges of	.00	.10	.00
deep gold	.50	.40	.35
McGredy's Scarlet. Scarlet-rose	.45	.35	.30
Mevrouw G. A. Van Rossem. Brownish yellow, shaded	.10	.00	.00
apricot-pink	.45	.35	.30
Miss Rowena Thom. Satiny pink, shaded orange-flame	OT.	.00	.50
at the center	.45	.35	.30
Mme. Joseph Perraud. Buff, flushed shell-pink	.50	.40	.35
Mme. Jules Bouche. White with primrose center	.45	.35	.30
Mrs. E. P. Thom. Deep golden yellow	.45	.35	.30
Mrs. Sam McGredy. Coppery scarlet-orange	.50	.33	.35
Nuntius Pacelli. Fragrant white	.50	.40	.35
President Herbert Hoover. Beautiful suffusion of ma-	.00	OF.	.00
	.45	.35	.30
roon, orange, and gold President Plumecocq. Soft coppery yellow and salmon	.55	.45	.40
Radiance. Rosy carmine	.50	.40	.35
	.50	.40	.35
Red Radiance. Rose-red	.50	.40	.35
Rouge Mallerin, Rich velvety scarlet	.50 .55	.40	.35
Sir Henry Seagrave. Cream-yellow	.55 .45	.45	.30
Soeur Therese. Chrome-yellow	.45	.35	.30

NORTHERN GROWN ROSES

Our trade recognizes the uniform quality, hardiness, and "trueness to name" of Cole's Painesville Grown Roses. We have guarded this reputation zealously and have gone to no end of labor to see that we had an ample crop for our regular customers in the face, many times, of adverse economic, trade, and weather conditions.

We hope you will bear in mind the conditions herein mentioned when selecting your source of supply.

PATENTED HYBRID TEA ROSES

COUNTESS VANDAL, Plant Patent No. 38.	10 Each	20 Each
(Retails \$1.00 each; \$10.00 per dozen). Blended copper, salmon and gold\$ 0.70	\$ 0.55	
CRIMSON GLORY. Plant Patent No. 105. (Retails \$1.00 each; \$10.00 per dozen).		
Velvety crimson shaded with deep red75	.60	\$ 0.55

DICKSON'S RED. Plant Patent No. 376. (Retails \$1.25 each; \$12.50 per dozen).	10 Each	20 Each
GLOAMING. Plant Patent No. 137. (Retails \$1.25 each; \$12.50 per dozen). Fawn-orange in bud; full blooms, pink overlaid	\$ 0.80	
salmon	.70	
McGREDY'S SUNSET. Plant Patent No. 317. (Retails \$1.25 each; \$12.50 per dozen). Yellow flushed scarlet on the inside85	.70	
MME. HENRI GUILLOT. Plant Patent No. 337. (Retails \$1.25 each; \$12.50 per dozen). Watermelon-pink	.80	
MME. JEAN GAUJARD. Plant Patent No. 338. (Retails \$1.25 each; \$12.50 per dozen). Lovely soft buff	.80	
RADIO. Plant Patent No. 197. (Retails \$1.00 each; \$10.00 per dozen). Yellow striped and marked carmine75	.60	
REX ANDERSON. Plant Patent No. 335. (Retails \$1.50 each; \$15.00 per dozen). Mammoth. Cream turning to pure white 1.10	.90	
R. M. S. QUEEN MARY. Plant Patent No. 249. (Retails \$1.00 each; \$10.00 per dozen). Blend of glowing salmon with pink, orange base. Free blooming, vigorous plants	.65	
RONSARD. Plant Patent No. 284. (Retails \$1.25 each; \$12.50 per dozen). Scarlet edged yellow	.70	
POLYANTHA		
	5 Each \$ 0.40	25 Each \$ 0.35
Eblouissant. Deep red50	.40	.35
Else Poulsen. Bright rose-pink50	.40	.35
Golden Salmon. Bright orange-salmon. A most worth-		
while novelty45	.35	.30
Gruss an Aachen. Clusters of flesh-pink50	.40	
Kirsten Poulsen. Single, bright scarlet50	.40	.35
LAFAYETTE IMPROVED. Glowing red suffused crimson	.35	
Pink Gruss an Aachen. Rose-pink50	.40	.35
PATENTED POLYANTHA		
	10 Each \$ 0.45	20 Each
BETTY PRIOR. Plant Patent No. 340. (Retails \$0.85 each; \$8.50 per dozen). Red to shell-pink	.45	\$ 0.40

77	1112 0022 110102			
PAT	SENTED POLYANTHA ROSES—Continued	Each	10 Each	20 Each
	RILLON. Plant Patent No. 136.			
	(Retails \$1.25 each; \$12.50 per dozen).	0.05	\$ 0.70	
	Orange-scarle bud opening coral-flame	0.03	Ф 0.70	
	NALD PRIOR. Plant Patent No. 377. (Retails \$0.85 each; \$8.50 per dozen).			
	Scarlet flushed crimson	.55	.45	&
PER	MANENT WAVE. Plant Patent No. 107.			
	(Retails \$0.85 each: \$8.50 per dozen).			
	Deep pink, crinkly petals	.55	.45	
SUN	MMER SNOW. Plant Patent No. 416.			
	(Retails \$0.85 each; \$8.50 per dozen). Clusters of snow-white flowers	.55	.45	\$ 0.40
	PRLD'S FAIR. Plant Patent No. 362.	.00	.10	Ψ 0.30
wo	(Retails \$1.00 each; \$10.00 per dozen).			
	Deep scarlet-maroon	.75	.60	
	Peonies			
D	Prices for strong, 3-5 eye division	ns.	5 Fach	25 Each
Ratir 7.8	ng Variety Description Augustin d'Hour. Red		\$ 0.25	\$ 0.20
8.0	Boule de Neige. White		.25	.20
8.4	Chestine Gowdy. Large, light rose, creamy white	e colla	r.	
0.4	Late		.25	.20
8.1	Couronne d'Or. White		.30	.25
	Eva. Single. Lilac-crimson		.25	.20
o.4	Felix Crousse. Brilliant crimson; late midseason		.30	.25
9.1	Frances Willard. Pale pink fading to white. Late m	idseasoi	n30	.25
8.9	Georgiana Shaylor. Very large. Light rose-pink;	late mi	d-	
	season			.35
8.5	Germaine Bigot. Lilac-rose			.25
8.2	Gigantea. Large. Rose-pink to old rose. Early mid-			.20
	Karl Rosenfield. Striking dark crimson. Midseaso	n		.30
8.5	La Perle. Pink		.30	.25
7.8	Lord Kitchener. Bright cherry-red. Midseason			.30
8.6	Marchioness of Lansdowne. Pink			.25
7.8	Marquis C. Lagergren. Red			.25
7.3	Mistral. Single. Carmine			.20
7.9	Mme. de Verneville. White			.20
8.5	Mme. Emile Galle. Shell-pink. Late			.20
9.4	Mme. Jules Dessert. Flesh-white, golden center		.30	.25
8.5	Octavie Demay. Flesh-pink fading to white. Early			.20
	Officinalis rubra plena sanguinea. An improved fo			25
7.6	old Decoration Day Peony Pierre Dessert. Red. Midseason			.25
7.6 8.6	Primevere. Sulphur-yellow; midseason			.25
7.2	Rubra Superba Crimean Midagasan		35	.30
9.0	Rubra Superba. Crimson. MidseasonSarah Bernhardt. Rose-pink; late		.25	.20
				.25
7.9	Simonne Chevalier, Pink, Midseason			.25
	Red, pink, white or mixed		.20	.15

Perennial Plants

Items starred (*) are useful for rock garden planting. For less than 5 plants of a variety, add 5c per plant.

ACTINOMEDIC D.II. II D. II	Each	25 Each
ACTINOMERIS—squarrosa. Brilliant yellow. Resembles Cosmos. September to frost—6'	0.20	\$ 0.15
AGROSTEMMA—coronaria. Rose Campion. Rosy crimson. June-July— $2\frac{1}{2}$ '	2.10	.07
*AJUGA—reptans. Carpet Bugle. Blue. May—4"	.17	.12
ALTHEA—rosea. Hollyhock. Mixed—6' Double Pink, Red, White, Yellow	.12	.08
ANCHUSA—italica. Blue. June to September—3'*myosotidiflora. Bright pink. May—1'	.13 .17	.10 .12
ANEMONE—		
hupehens:s superba. New. Extra large flowers of lively pink. September and October—2'	.30	.25
AQUILEGIA—Columbine Farquhar's Pink—2½′ Mrs. Scott Elliott Long-Spurred Hybrids—3′	.15	.10
	.15	.10
ARMERIA—laucheana. Bright rosy red. May and June—6'	.15	.10
ARTEMISIA—Silver King. (New.) Silvery foliage—3'	.12	.08
ASCLEPIAS—tuberosa. Butterflyweed—2'	.15	.10
ASTER—"Blue Gown." Heavy blue flowers. September—5' novae-angliae, Adorable. New salmon-pink. September	.22½	.17½
and October—4½'	.25	.20
Sunset. Fine pink. September—1½′novi-belgi, Beechwood Challenger. The best of the red	.15	.10
Asters. September—4'	.15	.10
novi-belgi, Beechwood Charm. New. Deep rosy red. September to frost—4'	.25	.20
Harrington's Pink. September—3'	$.22\frac{1}{2}$	$.17\frac{1}{2}$
CAMPANULA—medium calycanthema. Mixed. Blue, rose and white—2½′	.12	.08
*CENTAUREA—montana. Mountain Bluet. Blue. June and July—1½'	.12	.08
CHRYSANTHEMUM— coccineum, Jas. Kelway Hybrids. Painted Daisy. Velvety red shades. June—12"	.15	.10
coccineum (Pyrethrum roseum). Painted Daisy. Pink to red, May and June—2½′	.15	.10
maximum. Shasta Daisy. White. July to October—2'	.10	.07
maximum, White Swan. New. Large, double. July to October—2½'	.17	.12
For less than 5 plants of a variety, add 5c per plants	ant.	

CHRYSANTHEMUMS-Continued

NEW AND KOREAN CHRYSANTHEMUMS

Without question the greatest new creation in the perennial world. Korean Chrysanthemums are perfectly hardy—a requisite for satisfaction lacking in the old types; they are easier to grow and are more profuse in blooming. The lovely pastel shades defy description. Wonderful for table decoration and compelling for color effect in the garden.

for color effect in the garden.	5 Each	25 Each
ACACIA. Clear yellow. Fall—2'	\$ 0.17½	\$0.12½
ALGONQUIN. Bright yellow. 2½-inch flowers. Sept.—1½' $_{-}$.20	.15
ASTRID. Single shell-pink. Early	.15	.10
AUTUMN LIGHTS. New. Semi-double, coppery bronze over-cast gleaming orange. September—1½′		$.12\frac{1}{2}$
BURGUNDY. Cerise-crimson. Fall—2'	$.17\frac{1}{2}$	$.12\frac{1}{2}$
CLARA CURTIS. Rose-pink. Early—1½′	$.17\frac{1}{2}$	$.12\frac{1}{2}$
DEAN KAY. New. Lilac-rose. Early—1½′	.20	.15
EMBER. Brilliant bronze—2½′	.15	.10
GLEAM O' GOLD. Primrose-yellow. Pompon. October—2'	$.22\frac{1}{2}$	$.17\frac{1}{2}$
GOBLIN. New. Warm golden bronze. October—2'	.20	.15
JUDITH ANDERSON. Clear butter-yellow—15"	.12	.08
KING MIDAS. Soft yellow shaded bronze—2½′	.15	.10
LAVENDER LADY. Large, double. Silvery lavender. Early midseason—2½′	.20	.15
LITTLE BOB. Bronze-crimson Pompon. October—1½'	.25	.20
MILKY WAY. Pure white. Semi-double. October—2½′	.20	.15
MRS. PIERRE S. DuPONT. Peach-pink tinted rosy salmon and fawn	.20	.15
NANCY COPELAND. Spectrum-red—2'	.15	.10
PEGGY ANN HOOVER. Quilled lavender-pink. Late mid-season—2½'	.12	.08
PYGMY GOLD. Clear golden Pompon. September—11/2'	.15	.10
SALADIN. Oriental red shading to coral-red—2½'	.12	.08
SILVER MOON. New. Gleaming white with pale yellow center. September—2½′	.30	.25
SILVER TIP. Bright carmine with silver reverse and petal tips. Fall—2½′	.20	.15
SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums." Late midseason—3'	.25	.20
For less than 5 plants of a variety add 50 per p	1	

For less than 5 plants of a variety, add 5c per plant.

CUSHION "MUMS" 5 Each	25 Each
Compact little plants bearing myriads of azalea-like flowers throughout October, Your choice of colors: Bronze	
Pink, or White\$ 0.15	\$ 0.10

	"	
NEW SPOON CHRYSANTHEMUMS. Long, tubular petals	5 Each	25 Each
flattened at tips to resemble spoons. Pink, white, yellow\$	$0.17\frac{1}{2}$	\$0.121/2
*CONVALLARIA—majalis. Lily-of-the-Valley. 2-year plants. Spring—6"	.15	.10
COREOPSIS—Mayfield Giants. A vigorous, improved strain—	.12	.08
DELPHINIUM— Cliveden Beauty. Belladonna improved Giant Pacific Hybrids. Strong, wiry stems support spikes of mammoth flowers in all shades of blue, mainly doubles. Fine for both the hardy border and for cut-	.15	.10
ting, Mixed—5'	.20	.15
Separate Colors. Light blue and medium blue	$.22\frac{1}{2}$	$.17\frac{1}{2}$
Round Table Series. All color combinations	.25	.20
Blue Jay Series. True intense blue. Dark bee	$.27\frac{1}{2}$.221/2
Guinevere Series. Light pink-lavender with white bee Sir Galahad Series. Enormous clear white, Heavy spikes	$.27\frac{1}{2}$ $.27\frac{1}{2}$	$.22\frac{1}{2}$
Sir Gaianad Series. Enormous clear white, Heavy spikes	.41/2	.221/2
DIANTHUS— barbatus. Sweet William. Mixed. May and June—1½'_ *plumarius semperflorens. Scotch Pink. Mixed. June and	.10	.07
July—9"	.10	.07
DIANTHUS GRENADIN— *King of the Blacks. Velvety maroon. All summer	.15	.10
*DICENTRA—		
eximia. Fringed Bleeding Heart. All summer—12"	.17	.12
spectabilis. Bleeding Heart. May, June—2'	.25	.20
DIGITALIS— Giant Shirley. A recent introduction far surpassing the older types. June, July—3½′	.10	.07
ERYNGIUM—amethystinum. Amethyst-blue. July and August—2'	.15	.10
FUNKIA—(See Hosta.)		
GAILLARDIA—Blanket Flower. Goblin. Yellow to red. All summer—12"	15	.10
	.15 .12	.10
Portola hybrids. New Mammoth The Dazzler. Brilliant red, all summer—2'	.15	.10
	.10	.10
GYPSOPHILA— paniculata. Baby's Breath. White, June and July—2' paniculata, Bristol Fairy. Fine double white Baby's Breath	.10	.07
June and July—30"	.27	.22
HELIANTHUS—Loddon Gold. Enormous double yellow, September and October—5'	.20	.15
HELIOPSIS—"Summer Gold." Large semi-double yellow, 4" flowers. Summer—3 to 4'	.20	.15

For less than 5 plants of a variety, add 5c per plant.

HEMEROCALLIS—Yellow Day Lily.	5 Each	25 Each
HEMEROCALLIS—Yellow Day Lity. Bay State. Deep yellow. August—1½'	0.20	\$ 0.15
flava. Lemon-yellow. June-2½′Coldeni Golden orange. July-3′	.10	.07 .12
A Crawford Apricot Vellow, July	.17	.12
Mikado. New. Rich orange marked with purple-red. June and July—2½ Mrs. W. H. Wyman. Lemon-yellow. June—18"	.35	.30
Mrs. W. H. Wyman. Lemon-yellow. June—18"	.17	.12
HIBISCUS—Mallow Marvels—5' Mixed	.10	.07
coccineus. Scarlet Rosemallow. Deep red. Finely cut foliage. August-6'	.20	.15
HOSTA— undulata variegata. White and green foliage—1½'	.15	.10
IRIS—kaempferi. Oriental Iris. July—3'. Mixed	.12	.08
LIATRIS—pycnostachya. Gayfeather. Aug., Sept.—4'	.12	.08
scariosa alba. Pure white. Good for cutting. August and September	.20	.15
*LINUM PERENNE. Pale blue. All summer—12"	.12	.08
MONARDA— didyma alba. White. July and August—1½′	.15	.10
MYOSOTIS— *palustris. Forget-me-not. Blue. April and May—8"	.10	.07
PACHYSANDRA—(See Evergreen Shrubs.)		
PAPAVER—Poppy		
nudicaule, Iceland Poppy schinzianum, Orange-apricot, June—12"	.15	.10
orientale. Orange scarlet. June—2½′	.12	.08
PENTSTEMON— Garnet. New Gloxinia-like, garnet flowers. June until frost—3'	.23	.18
PEONIES—(See page 54.)		
PHLOX—Columbia, Plant Patent No. 118.		
Soft cameo-pink. Prices, 3 for \$1.15; 12 for \$3.75 \$18.00 per 100. Retails at 60c each; 3 for \$1.50 \$5.00 per 12; \$30.00 per 100.	2	
PHLOX—decussata. July, Aug., Sept.		
B. Compte. Deep rich oxblood-red. Fine—2½′ Beacon. Bright cherry-red—3′	.15 .12	.10 .08
Border Queen. Beautiful new pink. Dwarf—1½′	.15	.10
Bridesmaid. Pure white, crimson eye—2½′	.10 .12	.07 .08
Eclaireur. Brilliant rosy magenta. White eye—21/2'	.12	.08
E. I. Farrington. Pleasing salmon, violet eye—3'	.15	.10

For less than 5 plants of a variety, add 5c per plant.

PHLOX—decussata—Continued Enchantress. Salmon-pink; dark eye—3'	5 Each	25 Each \$ 0.10
Ethel Pritchard. French mauve—2'	.12	.08
Europa. White, crimson eye—2½′	.12	.08
Eva Foerster. Giant salmon-rose with white center—18"	.20	.15
Flash. Carmine-crimson with orange-scarlet center—2'	.20	.15
Fuerbrand. Brilliant orange-scarlet. Free blooming—2'	.17	.13
Harvest Fire. New. Salmon-red in immense trusses—2½	.17	.12
Jules Sandeau. Pure pink. Dwarf. Mammoth flowers—2'	.12	.08
Lassburg. Extra fine white—3'	.12	.08
Leo Schlageter. Scarlet. One of the best reds—2½'	.17	.12
Mia Ruys. Dwarf pure white. Large trusses—1½′	.12	.08
Mrs. Jenkins. White. Late—18"	.12	.08
Painted Lady. Tall, delicate silver-pink, cherry-red eye	.12	.08
Progress. Giant lavender—2'	.20	.15
Rheinlander. Salmon-pink, claret eye. Fine—2'	.12	.08
Rijnstroom. Pink; very large—2½′	.12	.08
Salmon Glow. Flame-pink softened by lilac. White cen-		•••
ter—2'	.20	.15
Tigress. Orange-scarlet	.17	.12
Widar. Light reddish violet. White eye—2½′	.15	.10
subulata alba. White	.15	.10
subulata, Camla. Rosy pink	.18	.13
Mixed	.10	.07
PHYSOSTEGIA— Rosy Spire., New. Deep rosy crimson—3' *RANUNCULUS—repens fl. pl. Creeping Double Buttercup. May and June—10"	.15	.10
SALVIA— azurea. Rich gentian blue. August and September—4'	.12	.08
SEDUM—	3.6	
*acre. Yellow. June and July—3"	.15	.10
*glaucum. Blue foliage2"	.15	.10
kamtschaticum variegatum. Orange-yellow flowers, leaves edged dull gold. Midsummer—1'	.17	.12
*spectabile, Brilliant. Crimson. August and September.	.15	.10
*stoloniferum coccineum. Crimson. July and August—6"	.15	.10
	,,,,	,
STOKESIA—laevis (Cyanea.) Blue. August and September		
3' Blue Moon. Silvery blue suffused lilac. All summer—1'	.15	.10 .15
Dide Moon, Silvery blue suffused mac. All summer—1'	.20	.10
TRADESCANTIA—Spiderwort. Spring till frost—12" Blue Stone. Clear vivid blue. Always in bloom Purple Dome. Brilliant purple; flowers freely	.20 .20	.15 .15
For less than 5 plants of a variety, add 5c per pl	ant.	

60 THE C	COLE NURSERY CO., PAINES	VILLE, OHIO		
*longifolia subsessil	age. Blue flowers. July and is. Blue. Aug. to Oct.—2'	August—1′ {	5 Each 0.17 .15	25 Each 0.12 .10
grant6"	cess of Wales. Single, deep		a- .17	.12
YUCCA—filamentosa.	White. June and July—7'		.15	.10
	han 5 plants of a variety, a		lant.	
F	ruit Departm	ent		
	APPLES-Standar	·d		
416 to 516' 11 to 76"		1 Each \$ 0.55	5 Each 5 8 0.40	25 Each \$ 0.35
4 to 5', \(\frac{9}{16}\) to \(\frac{11}{16}\)"		.50	.35	
Bearing Age, 1 to 11/4	" 13 <u>6</u> "	1.75 2.25	1.50 2.00	1.25 1.75
Bearing Age, 1½ to 1	134''	3.10	2.75	2.50
Baldwin	Macoun	Sweet Bo Turley Wealthy Yellow D	ugh	
Cortland Delicious, Red	McIntosh Melba Milton Red Northern Spy	Wealthy		
Delicious, RedDolgo Crab	Milton	Yellow D	elicious	
Duchess Grimes Golden	reca Horimerin Spy	Yellow T	ransparen	it
Hyslop	R. I. Greening			
Jonathan	Stayman			
	APRICOTS			
$3\frac{1}{2}$ to $4\frac{1}{2}$, $\frac{9}{16}$ " and u	p	1 Each \$ 0.65	\$ 0.50	\$ 0.40
0/2 00 1/2 / 10 111111111111111111111111	Hungarian			
	CHERRIES—Sou	r		
		1 Each	5 Each	25 Each \$ 0.45
4 to 5', 16" and up		\$ 0.70		
Bearing Age, 1 to 11	4"	2.25	2.00	1.75
Bearing Age, 11/4 to	1½"	3.10	2.75	
	Montmorency Richm			
	CHERRIES—Swee	et	5 F 1	07 F 1
5 to 7' \frac{11}{16}" and up 4 to 5', \frac{9}{16} to \frac{1}{16}"		\$ 0.80	\$ 0.65 .55	\$ 0.55 .45
Black Tartarian G	overnor Wood Napoleon	Schmidt	Yellow S	panish
	NECTARINES			
	1,20111111,20		1 Each	5 Each
$3\frac{1}{2}$ to $4\frac{1}{2}$, $\frac{9}{16}$ " and 1	ıp		_ \$ 0.65	\$ 0.50
	Gold Mine			
	QUINCES			
31/2 to 41/2' 5/2" and u	р	1 Each	5 Each	25 Each
5/2 to 4/2, 78 and u	Champion Orange	φ υ./υ	φ U.33	φ 0.40
	Grange Orange			

 $.07\frac{1}{2}$ $.05\frac{1}{2}$

.12

		A	-	Н		
•		Λ			-	
	_	-				•

	PEACHES			
4 to 5′, ½ and up 3½ to 5′, ½ to 5′, ½ to 3½" 3 to 4′, ½ to ½ "		.40	\$ 0.35 .28 .22	25 Each \$ 0.30 .22 .17
Elberta Golden Jubilee	Hale, J. H. Hale-Haven	Rochester South Ha	r iven	
	PEARS—Stand			
5 to 7', 110" and up		1.50	5 Each \$ 0.50 .40 1.25 1.75 2.75	25 Each \$ 0.40 .32 1.00 1.50 2.50
Bartlett Buerre Bosc Cayuga Clapp's Favorite	Duchess Flemish Beauty Gorham Kieffer	Seckel Wilder Worden	Seckel	
Cope's Seedless Pear (Pate 11 of to 11 of to 11 of the 12 of the 12 of the 13 of the 14 of the 1	a 3 for \$3.75)	1 Each\$ 0.85	\$ 0.75	
	PEARS-Dwa	rf		
3 to 4', ½ to 5%" Bearing Age, 6 to 8', 1¼ to	to 1½", varieties* _	\$ 0.55 3.10	2.75	\$ 0.32
*Bartlett Cayuga	*Clapp's *Du	ichess Kieff	er Sec	kel
	PLUMS			
5 to 6', ½ and up4 to 5', ½ to ½ t		1 Each \$ 0.65	5 Each \$ 0.50	25 Each \$ 0.40 .35
Abundance Bradshaw (See pages 62 and	Fellenberg Imper 1 63 for costs of ba			
	GRAPE VIN	ES		
Agawam, 2 years, No. 1			25 Each 2 \$0.08	
Caco, 2 years, No. 1 Concord, 2 years, No. 1		18	.14 .06	.04

RHUBARB

Niagara, 2 years, No. 1

5 Each 25 Each 250 Each Victoria. Strong roots \$ 0.06 \$ 0.03½ \$ 0.02¾ See pages 62 and 63 for Balling Schedule, Weights, etc.

BLACKBERRIES

5 Each 25 Each 250 Each Eldorado, No. 1 _______\$ 0.05 \$ 0.03 \$ 0.02

BLUEBERRIES-See Vaccinium, page 36.

BOYSENBERRY Spring Only

5 Each 25 Each 250 Each No. 1 Tips ______\$ 0.07 \$ 0.04 \$ 0.03½

RASPBERRIES Spring Only

, ,	Per 10	Per 25	Per 250
Cumberland (Black) Tips	\$ 0.40	\$ 0.65	\$ 5.00
Indian Summer (Red Everbearing) Suckers No. 1	.50	.85	7.50
Latham (Red) Suckers No. 1	40	.70	6.25
Taylor (Red) Suckers	40	.65	5.50

STRAWBERRIES Spring Only

			Per 25	Per 100	Per 500
Following leading	varieties		\$ 0.35	\$ 1.00	\$ 3.50
Catskill	Dunlap	Fairfax	Premier	Do	rsett
Everbearing variet	ies		\$ 0.50	\$ 1.50	\$ 5.00
8	Mastodon		Gem		

ASPARAGUS

				25 Plants	s 250 Plants
Paradise.	New.	Outstanding.	1 year	\$ 0.50	\$ 3.75
Washingto	n. 1 y	ear		.30	2.25

MULBERRIES (See Morus, Page 11)

BALLING SCHEDULE

In this catalog where ball sizes are shown, viz., (15" Ball), etc., this is the approximate size supplied. If larger or smaller balls are required charge will be adjusted to conform to following schedule.

Where balling is shown as "Extra" or where balls are required on shrubs, trees and plants not catalogued "Balled (B&B)" add to listed price according

to the following schedule.

to the lone	J 111112 DOX	icaaici							
Ball Size	Weight	Shrub or							
	Pounds	Flowering Tree	1 Each	2 Each	5 Each	25 Each			
10 x 10"	32	1½ to 2'	\$ 0.55	\$ 0.47	\$ 0.40	\$ 0.35			
11 x 10	38		C =	.55	.45	.40			
12 x 11	47	2 to 3'	75	.65	.55	.45			
13 x 11	58	3 to 4'		.70	.60	.50			
14 x 12	80	Par 100 May 200 May 20		.85	.72	.62			
15 x 12	90	4 to 5'	1.15	.95	.85	.75			
16 x 13	110	5 to 6'		1.25	1.10	.95			
17 x 13	130		2.00	1.75	1.50	1.25			
18 x 14	160	6 to 7'		2.30	2.00	1.70			
20 x 15	210	7 to 8'	3.75	3.25	2.75	2.35			
22 x 16	270	8 to 10'		4.25	3.60	3.15			
SHADE TREES									
20 x 15	210	1¼ to 1½"		3.25	2.75	2.35			
22 x 16	270	1½ to 1¾"	5.00	4.25	3.60	3.15			
24 x 17	340	1¾ to 2"	6.70	5.60	4.60	4.00			

R	A	L	LI	I	J	G	5	C	F	I	E	T	1	T	T	F_	 Co	nt	in	114	20	1
D				ш	٧,	U	N	u	£.	Ł.	-	ш	4	J	L	And T	 ω	ш	\mathbf{m}	u	50.	н

Ball Size	Weight	Shrub or				
	Pounds	Flowering Tree	1 Each	2 Each	5 Each	25 Each
26 x 18	410	2 to 2½"	\$ 8.50	\$ 7.15	\$ 5.70	\$ 5.00
30 x 20	620	2½ to 3½"	12.30	10.10	7.80	6.70
33 x 22	820	3 to 3½"	14.50	12.00	9.75	8.50
36 x 23	1000	3½ to 4"	17.30	13.75	12.25	10.50
40 x 25	1350	4 to 4½"		17.50	14.50	12.75
44 x 27	1800	4½ to 5"	23.50	20.50	17.25	15.00
48 x 29	2300	5 to 5½"	26.50	22.30	19.30	17.00
52 x 30	2900	5½ to 6"	30.50	26.75	22.00	19.50
56 x 31	3500	6 to 6½"	36.00	31.00	26.00	22.50
60 x 32	4200	6½ to 7"	43.00	36.50	31.00	26.50
64 x 33	5000	7 to 7½"	49.00	43.50	37.50	32.00
68 x 34	5800	7½ to 8"	60.00	53.00	46.50	40.00

Ball sizes, weights, etc., are only approximate as varieties and soil causes them to vary.

Prices include loading on trucks.

Car loading on "Tree" sizes entails extra costs.

Platforms, if required, will be charged extra. Charge rebated if returned prepaid.

Be sure to add these costs when paying cash before shipment.

MASSACHUSETTS STATE COLLEGE AMHERST, MASSACHUSETTS

Department of Pomology

STATEMENT OF INSPECTION FOR TRUENESS TO NAME October 14, 1942.

To Whom It May Concern:

This is to state that all the saleable apple, pear, plum, and sweet cherry stock now growing in the nurseries of the Cole Nursery Company, near Painesville, Ohio, have been examined for trueness to name by A. P. French, O. C. Roberts, and L. Southwick and, as they now stand in the nursery row all trees are, to the best of our knowledge and belief, true to name.

(Signed) J. K. SHAW, Research Professor of Pomology.

PRICES FOR BOXING AND PACKING

	Over 6 Feet and L 0.52½ \$ 0.55	Small Boxes, 40c to \$1.00, according
28 x 28	.50 .52	½ BALES
24 x 24	.45 .47	1/2 Minimum charge \$ 0.40
20 x 20	$.37\frac{1}{2}$.40	Up to 100 lbs., per lb011/4
16 x 16	$.32\frac{1}{2}$ $.35$	Excess over 100 lbs.,
14 x 14	.30 .32	½ per lb01
12 x 12	.271/2 .30	

Bales for bulky trees (grafted heads, etc.), balled trees and other exceptions will be charged at cost.

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock ordered. We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be responsible for a greater amount than the price paid.

TERMS

5% OFF FOR CASH before shipment on purchases at prices listed herein. Be certain to add enough extra to cover packing. This will eliminate C. O. D. costs. Over-payments will be returned promptly.

To parties having satisfactory credit arrangements or account with us 2% 10 days, 30 days net.

No claims for rejections or deficiencies will be entertained unless made within 10 days after arrival of goods.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE SUPPLIES

DOI I DIED	
Burlap, used, per 100 lbs.	9.00
Sphagnum Moss, Wired bales, per bale	1.40
Granulated Peat, per bale (20 to 22 bushels)	3.90
Paper, Krinkled Waterproof Kraft, per lb., 17c; per 100 lbs.	14.00
Paper, Kraft 50-lb. rolls, Basis 40 lb.—36" wide, per lb.	.10
Labels, Wired, 3½ inches, per 1000	2.00
Labels, Paper, per 1000	1.35

TRUCK DELIVERIES

During planting season, we are making daily deliveries to Cleveland and vicinity, and frequent deliveries to other cities within two hundred miles of Painesville. Charges reasonable.

PLANT PATENT NOTICE Propagation Rights Reserved

The Truehedge Columnberry is protected by Plant Patent No. 110 under the U. S. Patent Laws. Asexual reproduction or disposition by sale, gift or otherwise, of scions, buds, or cuttings for such reproduction is prohibited unless license is previously obtained from the patent owners. Unauthorized reproduction, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

The above conditions also apply to all other patented plants which we sell.

THE COLE NURSERY COMPANY PAINESVILLE, OHIO

Cole's LATEST INTRODUCTION Hardy Fuchsia "Senorita"

Not Patented

SENORITA is even more lovely than Fuchsia Scarlet Beauty, introduced in 1940, and so widely acclaimed by gardeners everywhere. Senorita is the first glorious offspring of the famed Scarlet Beauty original member of this special strain of Fuchsia riccartoni.

SENORITA, hardy and of vigorous growth, comes into flower in early August and continues its abundance of strikingly beautiful bloom until severe frost—a period when color is so limited in the garden. Reaching maturity in about three years, the plant, strongly upright, attains a height of three feet with a spread of two and a half feet.

The jewelled, pendent flowers, fully two to three inches long, of flaming rosered with corolla of bright mulberry-purple, are borne profusely along the stems and nestled in the outer fringe of foliage. The plant, never leggy, foliages from the ground up and is a pleasing bright glossy green, providing a color combination of rare charm and beauty.

	5 1	Each 25 Each	250 Each
3-inch pot plants	\$C	0.30 \$0.27	\$0.24
5-inch pot plants	(Cloverset)	.55 .50	.45

Fuchsia riccartoni, "Scarlet Beauty"

Plant Patent No. 440

Has proven one of the most popular plants for the hardy border

NEW REDUCED PRICES

3-inch pot plants	-	25 Each \$0.18	
Field-grown plants or 5-inch pots	40	.35	.30
3-inch pots Retails 5 Field grown Retails 8	50c each; 3 35c each; 3	for \$1.20 for 2.00	

Spring Delivery Only

Write for Special Folder telling the interesting story of the development of "Scarlet Beauty"—gives cultural directions, etc.



A branch from a mature plant showing the profusion of bloom of

COLE'S New Hardy Fuchsia riccartoni "SCARLET BEAUTY"

Plant Patent No. 440

See Inside Cover for Prices, etc.